




# भारत का राजपत्र The Gazette of India

असाधारण  
EXTRAORDINARY

भाग I—खण्ड 1  
PART I—Section 1

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY



सं. 196] नई दिल्ली, बृहस्पतिवार, सितम्बर 23, 1993/आश्विन 1, 1915  
No. 196] NEW DELHI, THURSDAY, SEPTEMBER 23, 1993/ASVINA 1, 1915

वाणिज्य मंत्रालय

सार्वजनिक सूचना सं० 165-(पी एन)/92-97

नई दिल्ली, 23 सितम्बर, 1993

विषय:—प्रक्रिया पुस्तक, खण्ड-2, 1992-97-निवेश-उत्पाद, मूल्य संयोजन मानदण्ड तथा संवेदनशील मदों का ब्यौरा।

एफ सं० 6/36/92-ईपीसी:—उपर्युक्त विषय पर सार्वजनिक सूचना सं० 121 (पी एन)/92-97, दिनांक 31-3-1993 के अन्तर्गत प्रकाशित प्रक्रिया पुस्तक 1992-97, खण्ड-2 की ओर ध्यान दिलाया जाता है।

2. मानक निवेश-उत्पादन और मूल्य संयोजन मानदण्डों के विवरण में इस सार्वजनिक सूचना के (1) उपाबन्ध “क” में यथा उल्लिखित उपयुक्त स्थानों पर शुद्धियां (2) उपाबन्ध “ख” में यथा उल्लिखित उपयुक्त स्थानों पर संशोधन किए जाएंगे।

3. मानक निवेश-उत्पादन और मूल्य संयोजन मानदण्डों तथा संवेदनशील मदों के विवरण में नीचे उल्लिखित उपयुक्त स्थानों पर निम्नलिखित को जोड़ा जाएगा:—

रसायन और सम्बद्ध उत्पाद

(1) प्रविष्टि सं० 1034 के बाद क्रम सं० 1035 से 1081 की नई प्रविष्टियां इस सार्वजनिक सूचना के उपाबन्ध “ग” के अनुसार जोड़ी जाएंगी।

इलैक्ट्रॉनिकी

(2) प्रविष्टि सं० 250 के बाद क्रम सं० 251 से 261 तक नई प्रविष्टियां इस सार्वजनिक सूचना के उपाबन्ध “घ” के अनुसार जोड़ी जाएंगी।

## इजीनियरी उत्पाद

(3) प्रविष्टि सं० 816 के बाद क्रम सं० 817 से 1169 तक नई प्रविष्टियां इस सार्वजनिक सूचना के उपाबन्ध "ड" के अनुसार जोड़ी जाएगी।

## चमड़ा उत्पाद

(4) प्रविष्टि सं० 52 के बाद इस सार्वजनिक सूचना के उपाबन्ध "च" के अनुसार क्रम सं० 53 पर नई प्रविष्टि जोड़ी जाएगी।

## प्लास्टिक

(5) प्रविष्टि सं० 158 के बाद इस सार्वजनिक सूचना के उपाबन्ध "छ" के अनुसार क्रम सं० 159 से 164 तक नई प्रविष्टियां जोड़ी जाएगी।

## विविध

(6) प्रविष्टि सं० 32 के बाद इस सार्वजनिक सूचना के उपाबन्ध "छ" के अनुसार क्रम सं० 33 से 51 तक नई प्रविष्टियां जोड़ी जाएगी।

4. इसे लोकहित में जारी किया जाता है।

डा० पी०एल० संजीव रेड्डी, महानिदेशक, विदेश व्यापार

सार्वजनिक सूचना सं० 165 दिनांक का 23-9-93 का उपाबन्ध "क"

## इलेक्ट्रानिकी

क्रम सं०	पृष्ठ सं०	निर्गत उत्पाद का क्रमांक	श्रद्धियां
1	2	3	4
1.	111-112	10	(1) मद सं० 1(1) में शब्द "स्क्रीन" को शुद्ध करके "स्कू" पढ़ा जाएगा। (2) मद सं० 2 (ख)(1) में अंक "3135" को शुद्ध करके 0135 पढ़ा जाएगा। (3) मद सं० 2(घ)(1) में "ई सी" अक्षरों को ठीक करके "जी सी" पढ़ा जाएगा।
2.	131	84	निर्गत की मात्रा को ठीक करके 100 नम पढ़ा जाएगा।
3	132	86	मद सं० 1 के सामने आयात की मात्रा को ठीक करके 11 एक टी के बजाय 110 फीट पढ़ा जाएगा।
4.	173-174	167	(1) मद सं० 2 में मद "साइक्लोहेक्जेन" को ठीक करके "साइक्लो-हेक्जानोन" पढ़ा जाएगा। (2) मद सं० 16 में मात्रा सहित आयात की मद को ठीक करके "स्प्लाईसिंग टेप-10. 40 मीटर" पढ़ा जाएगा। (3) मद सं० 23 में शब्द "लव्स" को ठीक करके "हव्स" पढ़ा जाएगा।
5.	198	195	मद सं० 21 में शब्द "फ्यूज" को ठीक करके "फ्यूजेज" पढ़ा जाएगा।

1	2	3	4
			इंजीनियरी
6.	288	277	टिप्पणी 1 में इस क्रम सं० के नीचे, पहले वाक्य को ठीक करके निम्नानुसार पढ़ा जाएगा :—  “1. क्रम सं० 1, 2, 3 और 4(क) और (ख) पर मदों के आयात का मूल्य क्रमशः 58%, 10%, 28%, 2.5% और 2.5% से अधिक नहीं होगा।
7.	315	306	इस क्रम सं० में मद सं० 3 के सामने “25 कि-ग्रा०” की मात्रा जोड़ी जाएगी।

## सार्वजनिक सूचना सं० 165 दिनांक 23-9-93 का उपाबन्ध “ख”

## रसायन

क्रम सं०	पृष्ठ सं०	निर्यात उत्पाद की क्रम संख्या	संशोधन
1	2	3	4
1.	79	725	निर्यात उत्पाद का विवरण संशोधित करके निम्नानुसार पढ़ा जाएगा :— “सिथेटिक इनेमल सफेद/कलर पेंट (जिसमें न्यूनतम 28% पिगमेंट कंटेंट हो)”
			इलेक्ट्रॉनिक्की
2.	112	11	मद सं० 9 के सामने आयात की मात्रा को संशोधित करके 220 तन पढ़ा जाएगा।
3.	146	109	निर्यात की मद के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा : “अभियो मैग्नेटिक होड (इरेज)”
4.	148	112	निर्यात की मद के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा : “सिलिकान सेमी कन्डक्टर ट्रांजिस्टर्स,” (मैटल कैन पावर)
5.	149	115	(1) आयात की मद (1) को संशोधित करके “मेटालाईज्ड पोलिस्टर फिल्म” पढ़ा जाएगा। (2) क्रम सं० 1(च) के सामने दी गई आयात की मात्रा को संशोधित करके “6,000” ग्राम पढ़ा जाएगा।
6.	161	132	निर्यात की मद के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा : “सिलिकान सेमी-कन्डक्टर ट्रांजिस्टर (प्लास्टिक के लघु संकेतक)”।

1	2	3	4	5	6
7.	191	188	मद सं० 2 को संशोधित करके निम्नानुसार पढ़ा जाएगा :— “इलेक्ट्रॉनिकी संघटक जैसे रजिस्टर्स, कैपसिटर्स, इन्डक्टर्स, चोकस, क्वायल्स और कॉपर क्लैड लैमिनेट्स” ।		
8	198	195	मद सं० 2 को संशोधित करके निम्नानुसार पढ़ा जाएगा :— “इलेक्ट्रॉनिकी संघटक जैसे रजिस्टर्स, कैपसिटर्स, इन्डक्टर्स, चोकस, क्वायल्स और कॉपर क्लैड लैमिनेट्स” ।		
9.	202	198	मद सं० 2 को संशोधित करके निम्नानुसार पढ़ा जाएगा :— “इलेक्ट्रॉनिकी संघटक जैसे रजिस्टर्स, कैपसिटर्स, इन्डक्टर्स, चोकस, क्वायल्स और कॉपर क्लैड लैमिनेट्स” ।		
10.	204	201	मद सं० 2 को संशोधित करके निम्नानुसार पढ़ा जाएगा :— “इलेक्ट्रॉनिकी संघटक जैसे रजिस्टर्स, कैपसिटर्स, इन्डक्टर्स, चोकस, क्वायल्स और कॉपर क्लैड लैमिनेट्स” ।		
11.	205	202	मद सं० 2 को संशोधित करके निम्नानुसार पढ़ा जाएगा :— “इलेक्ट्रॉनिकी संघटक जैसे रजिस्टर्स, कैपसिटर्स, इन्डक्टर्स, चोकस, क्वायल्स और कॉपर क्लैड लैमिनेट्स” ।		
12.	235	229	निर्यात उत्पाद के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा : “आडियो मैग्नेटिक हेड” ।		
			इंजीनियरी		
13.	364	735	निर्यात उत्पाद के विवरण को संशोधित करके “कॉपर फ्लैट्स/शीट्स/स्ट्रिप्स” पढ़ा जाएगा ।		
14.	290-310	279 से 314 और 317 से 370 तक	सभी व्यौरों सहित इन प्रविष्टियों को हटा दिया जाएगा ।		
15.	365	793	निर्यात उत्पाद के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा :— “बैद्युत/इलेक्ट्रॉनिक/दूर संचार/रक्षा अनुप्रयोग के लिए पीतल की पट्टियां और आटोमोबाइल अनुप्रयोग के लिए रैडिएटर” ।		
16.	365	794	निर्यात उत्पाद के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा : “रक्षा अनुप्रयोग के लिए ब्रास ब्लैक्स/ब्रास केस ब्लैक्स” ।		
			प्लास्टिक्स		
17.	425	13	निर्यात उत्पाद के विवरण को संशोधित करके निम्नानुसार पढ़ा जाएगा :— “बी ओ पी पी स्क्व अमसंजक टेप/जम्बो रात्स” ।		
18.	436	75	निर्यात उत्पाद के विवरण में “(फुट वियर)” शब्दों को हटा दिया जाएगा ।		

19. इस उत्पाद समूह के अन्तर्गत प्रविष्टि सं० 36 को निम्नानुसार संशोधित किया जाएगा :—

क्रम सं०	निर्यात उत्पाद का नाम	मात्रा	आयात की मद	मात्रा	मूल्य संयोजन
1	2	3	4	5	6
“36.	प्लास्टिक बाड़ी बालपेन और रिफिल सहित उनके पुर्जे	100 नग	1. बालपेन टिप्स या (क) निकल सिलवर वायर/ ब्रास वायर/ब्रास स्क्रेप/ एस०एस० वायर (ख) एस एस बाल्स/ टंगस्टन कारबाइड बाल/ सिरेमिक बाल 2. लेखन स्याही या 2. (क) कैटोनिक रेजिन/ सिथेटिक रेजिन (ख) ग्लाइकोल (ग) स्याही के लिए डाईस्टफ 3. माउल्टिंग पावडर (पी० ई०/पी०एस०/पी०पी०) और एस बी एस माउल्टिंग पावडर	102 नग	60%

टिप्पणी :—निर्यात उत्पाद से माउल्टिंग पावडर का विशिष्ट भार भी निर्दिष्ट होगा।

20. इस उत्पाद समूह के अन्तर्गत प्रविष्टि सं० 17 को निम्नानुसार संशोधित किया जाएगा :—

क्रम सं०	निर्यात की मद	निर्यात की मात्रा	आयात की मद	आयात की मात्रा
1	2	3	4	5
	फाइबर टिप कलर पेन (स्केच पेन/मार्कर)	100 नग	(1) एक्सीटैट टो/ पोलिएस्टर टो/पोलिएस्टर टैप/पोलिएस्टर फाइबर जो कि निर्यात उत्पाद के लिए संगत हों (सिथेटिक फिटरों के लिए) 2. नाइलोन/यार्न/ हाइड्रोकार्बन टिप्स/ पोलियोमेडल टिप्स/ पोलिएस्टर टिप्स	निर्यात में प्रति किग्रा कन्टेन्ट 1.05 किग्रा० 102 नग

1	2	3	4	5	6
		3.	पोलिप्रोपीलेन/एच डी पी ई/एल डी पी ई/ ए बी एस/पोलिस्टीरिन/ पी वी सी कम्पाउण्ड या प्लास्टिक इक्विवैलेंट-/ माउल्टेड संघटक	निर्यात में प्रति किग्रा कन्टेन्ट 1.05 किग्रा०  102 नग	
		4.	मुद्रण स्थाही या	निर्यात में प्रति किग्रा० कन्टेन्ट 1.05 किग्रा०	
		(क)	कैटोनिक/सिथेटिक रेजिन	निर्यात में स्थाही का प्रति किग्रा भार 1.48 किग्रा०	
		(ख)	स्नाइकोल	निर्यात में स्थाही का प्रति किग्रा० भार 0.40 किग्रा०	
		(ग)	आई-स्टाफ	निर्यात में स्थाही का प्रति किग्रा० भार 0.10 किग्रा०	

कस्त

21.	442	16	इस क्रम सं० के सामने दी गई आयात की मात्रा को 'शोधित करके "1.10 किग्रा०" पढ़ा जाएगा।
22.	442	17	इस क्रम सं० के सामने दी गई आयात की मात्रा को संशोधित करके "1.22 किग्रा०" पढ़ा जाएगा।
23.	443.	25	इस क्रम सं० के सामने दी गई आयात की मात्रा को संशोधित करके "1.20 किग्रा०" पढ़ा जाएगा।

रसायन और सम्बद्ध उत्पाद

सार्वजनिक सूचना सं० 165 दिनांक 23-9-93 का उपबन्ध "ग"

निर्यात की मद			आयात की मद		
क्रम सं०	नाम	मात्रा	नाम	अनुमित मात्रा	मूल्य-संयोजन
1	2	3	4	5	6
512 1835	सिलिकान रबड़ की पेंड्स	100 किग्रा०	(1) सिलिकान रबड़ (2) संचालक स्थाही (3) सिलिकान रबड़ के लिए कैटेलिस्ट/क्यूरिंग एजेंट	97 किग्रा० 7 किग्रा० 1 किग्रा०	
515 1036.	ट्राइक्लोरो एथिलेन	1 एम टी	कैल्सियम कार्बाइड	0.536 एम टी	

1	2	3	4	5	6
516 1037.	डिबुटाइल मैलिएट (डी एम)	1 किग्रा०	1. मैलिफ एन्हाइडाइड 2. एन-बुटानोल	0.450 किग्रा० 0.681 किग्रा०	
517 1038	डाइरेक्ट फास्ट थेलो 6 जीएस नाइक्रोफाइन (सी०आई०नं० 13920)	1 किग्रा०	1. डिहाइड्रो-थियोपैरा टालुइडिनो सल्फोरिक एसिड 10.00 2. एसीटो एसिटानिलाइड 100% 3. सोडियम नाइट्राइट	0.368 किग्रा० 0.225 किग्रा० 0.082 किग्रा०	
518 1039.	आर्थो और पैरा नाइट्रो टालूइन	1 किग्रा०	1. टालूइन	0.745 किग्रा०	
519 1040.	आर्थोक्लोरो पैरा नाइट्रो एनीलीन (न्यूनतम 99% ड्राई पावडर)	1 किग्रा०	1. 3, 4-डि-क्लोरो नाइट्रो बेंजीन	1.144 किग्रा०	
520 1041.	कैम्फर यू एस पी	1 किग्रा०	1. गम टरपेन्टाइन	1.332 किग्रा०	
533 1042.	वायर ड्राईंग पावडर (कैल्शियम/सोडियम स्टियरेट बेस्ड) फैंटी एसिड कन्टेंट 40%	1 किग्रा०	1. पाम आयल/पाम स्टियरिन (हाइड्रोजीनेटेड) औद्योगिक कोटि	0.4 किग्रा०	
1043.	वायर ड्राईंग पावडर (कैल्शियम/सोडियम स्टियरेट बेस्ड) फैंटी एसिड कन्टेंट 46%	1 किग्रा०	1. पाम आयल/पाम स्टियरिन (हाइड्रोजीनेटेड) औद्योगिक कोटि	0.46 किग्रा०	
1044.	वायर ड्राईंग केमिकल (सोडियम स्टियरिट बेस्ड) फैंटी एसिड कन्टेंट 75%	1 किग्रा०	1. स्टियरिक एसिड	0.75 किग्रा०	
1045.	वायर ड्राईंग केमिकल (सोडियम और पोटैशियम स्टियरेट बेस्ड) फैंटी एसिड कन्टेंट 35%	1 किग्रा०	1. स्टियरिक एसिड	0.35 किग्रा०	
टिप्पणी : क्रम सं० 1042 से 1045 में उक्त मानदण्डों के संबंध में लाइसेंस पर यह शर्त लगाई जा सकती है कि निर्यात उत्पाद के विवरण में फैंटी एसिड कन्टेंट का उल्लेख होना चाहिए।					
524 1046.	डिटोनेटिंग फ्यूज (10 ग्राम)	1000मीटर	1. पोन्टीरिथ्रीटाल (नाइट्रेशन कोटि) 2. कान्क-नाइट्रिक एसिड 3. सेलोफेन फिल्म 4. एसीटेन 5. पी बी सी रेजिन 6. फथैलेट प्लास्टिसाइजर्स 7. पोलिप्रोपीलेन यार्न	5.13 किग्रा० 23.60 किग्रा० 0.77 किग्रा० 4.62 किग्रा० 4.91 किग्रा० 2.46 किग्रा० 3.68 किग्रा०	

1	2	3	4
1047.	डिटोनेटिंग फ्यूजेज (40 ग्राम)	1000 मीटर	1. पेन्टीयरीथीटोल (नाइट्रेशन ग्रेड) 20.25 किग्रा० 2. कान्क नाइट्रिक एसिड 93.2 किग्रा० 3. सेलोफेन फिल्म 1.87 किग्रा० 4. ए सीटीन 18.48 किग्रा० 5. पी वी सी रेजिन 13.55 किग्रा० 6. फथैलेट प्लास्टि-साइजर्स 6.77 किग्रा० 7. पोलिप्रोपीलेन थार्न 7.51 किग्रा०
527 1048.	सुपरग्लोनिकेल साल्ट	1 किग्रा०	1. त्रिक्वेट्स के रूप में निकेल धातु 0.225 किग्रा०
527 1049.	पर्ल शीन निकेल साल्ट	1 किग्रा०	1. त्रिक्वेट्स के रूप में निकेल धातु 0.225 किग्रा०
527 1050.	निकेल सल्फेट	1 किग्रा०	1. त्रिक्वेट्स के रूप में निकेल धातु 0.225 किग्रा०
534 1051.	सोडियम नाइट्राइट (कास्टिक सोडा रुट)	1 एमटी	1. कास्टिक सोडा (ड्राई बेसिस) 640 किग्रा० 2. अमोनिया 270 किग्रा० 3. कैटेलिस्ट : (क) प्लेटिनम 0.126 किग्रा० (ख) रोडियम 0.006 ग्राम
535 1052.	सोडियम नाइट्राइट (सोडा ऐश रुट)	1 एमटी	1. सोडा ऐश 861 किग्रा० 2. अमोनिया 276 किग्रा० 3. कैटेलिस्ट : (क) प्लेटिनम 0.126 ग्राम (ख) रोडियम 0.006 ग्राम
432 1053.	टैराक्लोरो बेंजिन साइनाइड	1 किग्रा०	1. टैराक्लोरो टालूइन 1.17 किग्रा० 2. सोडियम साइनाइड 0.70 किग्रा०
432 1054.	आइसोप्रोपिल ब्रोमाइड		1. आइसोप्रोपिल अलकोहल 0.62 किग्रा० 2. ब्रोमिन लिक्विड 0.84 किग्रा०
432 1055.	ब्रेटा फेनोक्सी बेंजाल्डेहाइड		1. बेंजाल्डेहाइड 0.8 किग्रा० 2. ब्रोमीन 0.38 किग्रा० 3. एम०ई०जी० 0.31 किग्रा०
441 1056.	नेफथालिन सल्फोनेट फारमाल्डेहाइड कन्डेन्सेट्स (80%)	1000 किग्रा०	1. नेफथालिन क्रूड 477 किग्रा० 2. फार्माल्डेहाइड 51 किग्रा० 3. कास्टिक सोडा 84.5 किग्रा०
443 1057.	टैराहाइड्राक्सी फनिल एसिटामाइड	1 किग्रा०	1. टैराक्लोरो टालूइन 3.00 किग्रा० 2. सोडियम साइनाइड 0.93 किग्रा०



1	2	3	4	5	6
444 1058.	भसकारा	100 किग्रा०	1. बैक्सेज (बीज/करनुबा आदि) करनुबा बैक्स 3.15 किग्रा० तक सीमित होगा।	9.45 किग्रा०	
			2. स्टियरिक एसिड ट्रिपोल प्रेस्ड/ग्लिसरियोल मोनो-स्टियरेट/ग्राइसो- (प्रोपिल मिरिस्टेट)	15.75 किग्रा०	
			3. साल्वेन्ट (प्रोपिलेन ग्लाइकोल)	5 किग्रा०	
			4. इमाल्सिफायर (ट्रिइथानोल एमिन)।	3.15 किग्रा०	
			5. कार्बन ब्लैक	9.45 किग्रा०	
			6. प्लास्टिक संघटक/पुर्जे या एच डी पी ई/प्रोपिल- प्रोपिलेन/एबीएस माउल्टिंग पावडर	निबल से निबल निर्यात में प्रति किग्रा कन्टेन्ट 1.05 किग्रा०	
			7. नाइलोन ब्रिस्टल्स	निबल से निबल	
444 1059	लिपिस्टिक	100 किग्रा०	1. बैक्सेज (कारनुबा/ पैराफिन/कैथडिलिल्ला, बीज आदि) (कारनुबा बैक्स 9.5 किग्रा० तक सीमित हो सकता है)	26.5 किग्रा०	
			2. कलर पिगमेंट्स	10.5 किग्रा०	
			3. फिल्लर अर्थात् टिटैनियम डिआक्साइड	5.25 किग्रा०	
			4. अन्य कच्चा माल अर्थात् बेनोसिम/पेट्रोलियम जेली/कैस्टर आयल	49.35 किग्रा०	
			5. प्राकृतिक सुगन्धित तेल/ सुगन्धित रसायन	0.7 किग्रा०	
			6. प्लास्टिक माउल्टेड संघटक/पुर्जे	निबल से निबल	
			7. एच डी पी ई/ पोलिप्रोपिलेन/एबीएस माउल्टिंग पावडर	निर्यात में प्रति किग्रा कन्टेन्ट 1.05 किग्रा०	

1	2	3	4	5	6
457 1060.	माउल्लेड/इक्स्ट्रुडेड/ मेटल बैंडेड रबड़ के पुर्जे	1 एमटी	1. माइल्ड स्टील/क्वायल्स/ प्लेट/राइस/राउण्ड्स/ ट्यूब्स/स्ट्रिप्स 2. प्राकृतिक रबड़/एस बी आर 1712/1502 ग्रेड 3. कार्बन ब्लैक 4. रबड़ रसायन 5. बालिष्ठ एजेंट 6. सिलिकान ऑयल	0.4 एम टी 0.5 मीटर 0.11 एम टी 0.02 एम टी (रबड़ रसायन के 0.02 एम टी में से एन्टी- आक्सीडेंट 50% से अधिक नहीं होना चाहिए) आयात के लिए अनुमित रबड़ रसायन का 0.012% 0.02 एम टी	60%
1061.	टैल्कम पावडर	1 किग्रा०	1. (क) बोरिक एसिड बीपी ग्रेड (ख) जिंक आक्साइड बी०पी० ग्रेड (ग) जिंक स्टियरेट बी पी ग्रेड (घ) कार्बोसिलिन बी पी ग्रेड 2. रेलिबैंट परफ्यूम 3. प्लास्टिक के कन्टेनर या 3. (क) प्रोपिलेन/पोलिप्रोपिलेन/ पोलिस्टीरिन/एलडीपीई/ एचडीपीई (ख) कन्टेनरों के लिए कलर मास्टर बैच 4. ग्राटे पेपर/क्राफ्ट पेपर * 5. पावडर पफ के लिए कृतिम फर की लाइनिंग	0.157 किग्रा० 0.157 किग्रा० 0.105 किग्रा० 0.052 किग्रा० (लागत बीमा भाड़ा मूल्य पोत पर्यन्त निःशुल्क मूल्य के 10% तक सीमित होना चाहिए। 0.007 किग्रा० (लागत बीमा भाड़ा मूल्य पोत पर्यन्त निःशुल्क मूल्य के 6% तक सीमित) निबल से निबल निर्यात पैकिंग में प्रति किग्रा० कन्टेन्ट 1.05 किग्रा० निर्यात में प्रति किग्रा० कन्टेन्ट 1.025 किग्रा० पैकेजिंग नीति के अनुसार 0.018 वर्ग मीटर लाइनिंग या प्रति बाक्स 5 ग्राम का पफ	

\* यह भव केवल उसी समय  
अनुमित होगी जबकि निर्यात आदेश  
में मांग का उल्लेख हो या  
पोतलबान दस्तावेज में इसका  
हिसाब रखा गया हो।

1	2	3	4	5	6
1062.	रिसोर्सिनॉल	1 किग्रा०	1. बेंजीन 2. कास्टिक सोडा प्लेक्स 3. सोडा ऐश	1.00 किग्रा० 1.60 किग्रा० 1.00 किग्रा०	
491 1063.	टेट्रा बुटाइल अमोनियम हाइड्रोजन सल्फेट	1 किग्रा०	1. एन-बुटानोल 2. ट्रिबुटाइल एमिन 3. लिक्विड ब्रोमिन 4. डिइथाइल सल्फेट 5. मेथिल ग्राइसोबुटाइल कीटोन	0.720 किग्रा० 1.45 किग्रा० 1.00 किग्रा० 0.620 किग्रा० 0.500 किग्रा०	
1064.	2, मरकाप्टो बेंजो थियाजोल (न्यूनतम 94%)	1 किग्रा०	1. एनीलिन 2. कार्बन डिसल्फाइड 3. सल्फर 4. कास्टिक सोडा लाई	0.67 किग्रा० 0.65 किग्रा० 0.26 किग्रा० 0.29 किग्रा०	
494 1065.	डिबेंजो थियाजिल सल्फाइड (न्यूनतम 95%)	1 किग्रा०	1. एनीलिन 2. कार्बन डिसल्फाइड 3. सल्फर 4. कास्टिक सोडा लाई	0.687 किग्रा० 0.655 किग्रा० 0.26 किग्रा० 0.30 किग्रा०	
494 1066.	रबड़ रसायन एक्सिलरेटर (जिसमें 73% डिबेंजो थियाजोल डिसल्फाइड और 15% डिफेनिल गुआनिडाइन हो)	1 किग्रा०	1. एनीलिन 2. कार्बन डिसल्फाइड 3. सल्फर 4. डिफेनिल गुआनिडाइन 5. कास्टिक सोडा लाई	0.49 किग्रा० 0.48 किग्रा० 0.2 किग्रा० 0.15 किग्रा० 0.21 किग्रा०	
1067.	बोमिनो मोडिफाइड पोलिसिलाक्सेन प्लूड (एमिन का मान न्यूनतम 38)	1 किग्रा०	1. ग्राफ्टो मेथिल 2. साइक्लो टेट्रा सिलोक्सेन (ओ एम सी टी एस) 2. एन-2 (एमिनोइथिल 3 एमिनो प्रोपिल मेथिल डिमैथाक्सी सिलेन	1.2 किग्रा० 0.1 किग्रा०	
1068.	ग्राइसोनिकोटिनिक एसिड	1 किग्रा०	1. 4-क्वानो पिरिडिन	0.98 किग्रा०	
1069.	एन-(साइडोहेक्सिल थियो (फैथिलमाइड (न्यूनतम 95%))	1 किग्रा०	1. फैथिलिक एनहाइड्राइड 2. साइक्लोहेक्सिल मरकाप्टन	0.66 किग्रा० 0.49 किग्रा०	
1070.	एन० ग्राई सोप्रोपल एन-फेनिल पैरा फेनिलेन डायामिन (न्यूनतम 95%)	1 किग्रा०	1. एनीलिन 2. पैरामिट्रोक्लोरो बेंजीन 3. फार्मिक एसिड 4. एसिटोन	0.53 किग्रा० 0.875 किग्रा० 0.425 किग्रा० 0.525 किग्रा०	
494 1071.	एन-साइक्लोहेक्सिल 2 बेंजो थियाजोल सल्फेनामाइड (न्यूनतम 95%)	1 किग्रा०	1. एनीलिन 2. कार्बन डिसल्फाइड 3. सल्फर 4. कास्टिक सोडा लाई 5. साइक्लोहेक्सिलामीन	0.51 किग्रा० 0.49 किग्रा० 0.2 किग्रा० 0.23 किग्रा० 0.425 किग्रा०	

1	2	3	4	5	6
494 1072.	2, (मारफोलिनोक्थियों) बेंजोथियाजोल (न्यूनतम 96%)	1 किग्रा०	1. एनीलिन 2. मारफोलिन 3. कार्बन डिसल्फाइड 4. सल्फर 5. कार्बोस्टिक सोडा लाई	0. 543 किग्रा० 0. 42 किग्रा० 0. 52 किग्रा० 0. 2 किग्रा० 0. 38 किग्रा०	
1073.	जिक डिथाइल डि-थियोकार्बोमेट (सक्रिय कान्टेन्ट 94%)	1 किग्रा०	1. एडिडिथाइलामीन 2. कार्बन डिसल्फाइड 3. कार्बोस्टिक सोडा फ्लेक्स 4. जिक क्लोराइड	0. 428 किग्रा० 0. 495 किग्रा० 0. 244 किग्रा० 0. 92 किग्रा०	
494 1074.	2 मरकाप्टोबेंजो थियाजोल का जिक साल्ट (सक्रिय कान्टेन्ट 93%)	1 किग्रा०	1. एनीलिन 2. जिक क्लोराइड 40% 3. अमोनिया 4. कार्बन डिसल्फाइड 5. सल्फर 6. कार्बोस्टिक सोडा लाई	0. 527 किग्रा० 0. 897 किग्रा० 0. 032 किग्रा० 0. 51 किग्रा० 0. 203 किग्रा० 0. 235 किग्रा०	
494 1075.	टेट्रा मिथाइल थियोरेम डिसल्फाइड एम०पी० 142% से अधिक	1 किग्रा०	1. डिमिथाइल एमिन (60%) 2. कार्बन डिसल्फाइड 3. कार्बोस्टिक सोडा फ्लेक्स	1. 1 किग्रा० 0. 76 किग्रा० 0. 40 किग्रा०	
494 1076.	एन (1,3 डिमिथाइल बुटाइल) एनफेनिल-पी फेनिलोडियामिन (न्यूनतम 95%)	1 किग्रा०	1. एनीलिन 2. एम ग्राई वी के (मिथाइल ग्राइलोबुटाइलो कीटोन) 3. पैरा नाइट्रोक्लोरो बेंजीन 4. फ्रामिक एसिड	0. 448 किग्रा० 0. 431 किग्रा० 0. 732 किग्रा० 0. 343 किग्रा०	
494 1077.	मिक्स्ट डायारिल पैरा फेनिलेनो डायामिन (न्यूनतम कान्टेन्ट 80%)	1 किग्रा०	1. एनीलिन 2. हाइड्रोक्विनोन 3. ग्रार्थो टालूडाइन	0. 41 किग्रा० 0. 45 किग्रा० 0. 42 किग्रा०	
494 1078.	1, 2 डिहाइड्रो-2, 2, 4-ट्रा इमेथिल विनोलिन	1 किग्रा०	1. एनीलिन 2. एसीटोन	0. 6 किग्रा० 0. 709 किग्रा०	
1079.	ओपल ग्लावेयर और किचेनवेयर	1 किग्रा०	1. क्वार्टेज सैन्ड 2. बोरैक्स पेन्टाहाइड्रेट 3. एसिड ग्रेड फ्लोरस्पार 4. अल्यूमीनियम हाइड्रेट 5. सोडियम सिलिको- फ्लोराइड 6. सोडा ऐश 7. जिक थाक्साइड 8. बैरियम कारबोनेट 9. मैग्नेशियम कार्बोनेट 10. सोडियम नाइट्रेट 11. नियोडियम थाक्साइड 12. डेकाल्कोमैनिया ट्रांसफर पेपर	0. 445 किग्रा० . 338 किग्रा० . 17 किग्रा० 0. 040 किग्रा० 0. 100 किग्रा० 0. 012 किग्रा० 0. 012 किग्रा० 0. 013 किग्रा० 0. 01 किग्रा० 0. 001 किग्रा० 0. 011 किग्रा० 0. 116 वर्ग मीटर	



1	2	3	4	5	6
252.	एम्मीटर टांगटेस्टर पर डिजिटल कलैम्प	100 नग	पी टी सी थर्मिस्टर, रेजिस्टर नेट वर्क, मेटल, फिल्म रेजिस्टर इलेक्ट्रोलाइटिक कैपेसिटर, टैन्टलम कैपेसिटर, माइलर कैपेसिटर, वेस्टेज मेटलाइज्ड फिल्म कैपेसिटर सिरैमिक कैपेसिटर डियोड, ट्रान्जिस्टर, इलेक्ट्रॉनिक माइक्रो सर्किट आई सी साकेट, सिलिकान रबड़ कनेक्टर, बैटरी कन्टैक्ट स्नैप, एल सी डी डिसप्ले, पी सी बी डबल साइडेड पी टी एच, को स्विच, टर्नड मेटल पार्ट कलैम्प असेम्बली, स्प्रिंग, प्ला- स्टिक माउलडेड पार्ट, प्रेस्ड मेटल पार्ट, पोटेंशियोमीटर, प्रिजो इलेक्ट्रिक एलीमेन्ट, ओवरलेज डबल साइडेड ग्रासजक टेप	निबल से निबल + 2 % वेस्टेज	100 मीटर
253.	वोल्टता, करंट के लिए डिजिटल पैनल मीटर/माइल्स	100 नग	कार्बन फिल्म रेजिस्टर, मेटल फिल्म रेजिस्टर, मेटलाइज्ड प्लास्टिक, फिल्म कैपेसिटर, सिरैमिक कैपेसिटर, टैन्टलम कैपेसिटर एल, इलेक्ट्रोलाइटिक कैपेसिटर इलेक्ट्रॉनिक माइक्रो सर्किट, ट्रान्जिस्टर, ब्रिज रेक्टि- फायर, डियोड, सरमेट पोटेंशियो- मीटर पी सी बी डबल साइडेड पी टी एच आई सी साकेट/ होल्डर, कनेक्टर, एल ई डी डिसप्ले/एल सी डी डिसप्ले, प्लास्टिक माउलडेड पार्ट, डबल साइडेड ग्रासजक टेप पीजो इलेक्ट्रिक क्रिस्टल, सर्ज अरेस्टर्स/सप्रोजर	निबल से निबल + 2 % वेस्टेज	50 मीटर निबल से निबल + 2 % वेस्टेज
254.	इलेक्ट्रॉनिक इन्सुलेशन टेस्टर	100 नग	पी टी सी थर्मिस्टर, सरमेट पोटेंशियोमीटर ए एल इलेक्ट्रोलाइटिक कैपेसिटर, टैन्टलम कैपेसिटर, पोलिस्टर कैपेसिटर, एम पी एफ कैपेसिटर, सिरैमिक कैपेसिटर डियोड, ट्रान्जिस्टर, इलेक्ट्रॉनिक माइक्रो सर्किट कनेक्टर सिलिकान रबड़ कनेक्टर, एल सी डी डिसप्ले, पी सी बी डबल साइडेड पी टी एच, स्विचेज, प्लास्टिक माउलडेड पार्ट्स, प्रेस्ड मेटल पार्ट्स, टर्नड मेटल पार्ट्स, स्टिकर ओवरले पिजो इलेक्ट्रिक क्रिस्टल डबल साइडेड ग्रासजक टेप	निबल से निबल + 2 % वेस्टेज	100 मीटर

1	2	3	4	5	6
255.	आवृत्ति की माप के लिए डिजिटल पैनल मीटर	100 नग	कार्बन फिल्म रेजिस्टर, मेटल फिल्म रेजिस्टर, प्लास्टिक फिल्म कैपेसिटर सिरैमिक कैपेसिटर, टैन्टलम कैपेसिटर, एलए इलैक्ट्रोलेटिक कैपेसिटर इलैक्ट्रॉनिक माइक्रो सर्किट, ट्रान्जिस्टर, ब्रिज रेक्टिफायर डियोड, सरमेट फोटोग्रियोमीटर, पी सी बी डबल साइडेड पी टी एच आई सी साकेट/होल्डर, कनेक्टर, एल ई डी डिस्प्ले, प्लास्टिक माउण्टेड पार्ट्स डबल साइडेड ग्रासजंक टेप पीजो इलैक्ट्रिक क्रिस्टल सर्ज अरेस्टर्स सप्रोजर	निबल से निबल + 2% वेस्टेज	50 मीटर निबल से निबल + 2% वेस्टेज
256.	बोल्टता, करंट, आवृत्ति, वाट वाल पावरफैक्टर, तापमान, परिमाण के लिए इलैक्ट्रॉनिक ट्रान्सड्यूसर	100 नग	पी टी थर्मिस्टर, सरमेट फोटोग्रियोमीटर, ए एल इलैक्ट्रोलेटिक कैपेसिटर, टैन्टलम कैपेसिटर, प्लास्टिक फिल्म कैपेसिटर, मेटल-लाइज्ड प्लास्टिक फिल्म कैपेसिटर, सिरैमिक कैपेसिटर, डियोड ट्रान्जिस्टर, इलैक्ट्रॉनिक माइक्रो सर्किट, कनेक्टर्स, आई सी साकेट डबल साइडेड पी टी एच पी सी बी, मेटल फिल्म रेजिस्टर कार्बन फिल्म रेजिस्टर मेटल ग्राससाइड रेजिस्टर, फोटो-ग्राफोटो कूपर प्लास्टिक मोल्डेड पार्ट्स, स्विचस प्रेस्ड, मेटन पार्ट्स, टर्नड मेटल पार्ट्स, स्कूस, स्टिकर ओवरले सर्ज एरेस्टर्स, सुप्रोजर	निबल से निबल + 2% वेस्टेज	निबल से निबल 2 %वेस्टेज
257.	ओसिलोस्कोप्स	1	निर्यात उत्पाद में वास्तविक रूप से आवश्यक निम्नलिखित श्रेणियों श्रृण्यों में से कोई/अथवा समस्त		
258.	इलैक्ट्रॉनिक बेलेंस बेईंग सिस्टम्स	1	सेमीकंडक्टर डिवाइसेस जिनमें ट्रान्जिस्टर, डायोड्स, ग्राफोटो कपलर्स, सीसीडीएस, समस्त प्रकार के इंटिग्रेटेड सर्किट्स, समस्त प्रकार के माड्यूल्स आदि शामिल हैं।	निबल + 2%वेस्टेज	
259.	क्लोरीमीटर	1	2. सभी प्रकार के इलेक्ट्रॉनिक कम्पोनेन्ट्स जिनमें रेजिस्टर्स कैपासिटर्स, इंडक्टर्स, चोकस, ट्रांसफार्मर्स आदि	निबल + 2 %वेस्टेज	

1	2	3	4	5	6
260. स्वीच ट्रेन्स					
		3. ओसिलेटर्स, क्रिस्टलस, पोटे- शीमीटर्स, फ्यूजिस, सनवर्स कंपोनेंट्स, फिल्टर्स बजर फैसइट्स आदि		निबल + 2% वेस्टेज	
		4. कैबल्स/वायर्स, कनेक्टर्स, प्रोब्स, सपकेट्स और उसकी एसेम्बल; जिसमें फाइबर ऑप्टिक एप्लिकेशन हेतु शामिल है।		निबल + 2% वेस्टेज	
		5. पीसीबीएस (पोपुलैटिड अनु- पापुलेटिड		निबल + 2% वेस्टेज	
		6. मेकेनिकल पार्ट्स/असेम्बलियां जिसमें मेटल, प्लास्टिक, फ्रैन्चि- केटिड, मोलिड्ड पार्ट्स, हीट- सिंकस, बसबार्स, कारप्रेक्स और अन्य हार्डवेयर आदि शामिल हैं।		निबल + से निबल + 2% वेस्टेज	
		7. समस्त प्रकार के डिस्पले जिनमें सीआरटी प्लाज्म, एलईडी, एलईडी; एलसीडी, डिस्प्लेशन कंपोनेन्ट्स व ईएचटी आदि शामिल हैं।		निबल + 2% वेस्टेज	
		8. इलेक्ट्रो मेकेनिकल पार्ट्स जैसे रिलेज जिनमें सालिड स्टेट रिलेज रीडरिलेज आदि, स्विच, सोलेनॉयड्स, डायफ्राम्स कंपो- नेन्ट्स/माइक्रोफोन्स, स्टेपर, मोटर माइक्रोमीटर्स, इस्ट्रूमेंट्स आदि शामिल हैं।		नेट + 2% वेस्टेज	
		9. समस्त प्रकार की बैटरियां		नेट + 2% वेस्टेज	
		10. सर्ज अरेस्टर्स जैसे एमजीवी क्लिप सैल्स आर सी नैट वर्क्स		नेट + 2% वेस्टेज	
		11. की स्विच		निबल + 2% वेस्टेज	
		12. सेन्सर्स, ट्रांसड्यूसर्स, इलै- ट्राइस, एंटीना		निबल + 2% वेस्टेज	
		13. माइक्रोवेव कंपोनेन्ट्स जैसे एटन्यूएटर्स, बेज-क्विड्स, पिन डायोड्स, कपलर्स आदि		निबल + 2% वेस्टेज	
		14. ऑप्टिकल कंपोनेन्ट्स जैसे लैन्स आदि		निबल + 2% वेस्टेज	
		15. पेरिफेरल्स जैसे प्रिन्टर्स, डिस्क ड्राइव्स, प्लार्ट्स, की बोर्ड्स, माथीटर्स, कंज्यूमेबल सहित		निबल + 2% वेस्टेज	



1	2	3	4	5	6
			16. साफ्टवेयर	निबल + 2% वेस्टेज	
			17. लाइट सोसिस जैसे इन-फारेड अल्ट्रावायलट लेजर एक्स रेज तथा अन्य एसोसिएटेड इलेक्ट्रॉनिक्स सहित	निबल 5 + 2% वेस्टेज	
			18. क्लीनिंग कॅमिकल एपोक्सी रेसिन/हार्डनर्स, सोल्डर्स आदि	निबल + 2% वेस्टेज	
			19. ट्रिमर्स	निबल + 2% वेस्टेज	
			20. एनटीसी/पीटीसी सेरामिक कंपोनेण्ट्स	निबल + 2% वेस्टेज	
			21. रबड़ कनेक्टर्स, डिग्रे लाइंस	निबल + 2% वेस्टेज	
			22. निओन लैम्पस ब्रैक वाइटिंग लैम्पस	निबल + 2% वेस्टेज	
			23. की पैड्स	निबल + 2% वेस्टेज	
			24. इरेन्डस्ट्रिप्स/लेबल्स	निबल + 2% वेस्टेज	
261. कायल्स ट्रान्स्फार्मर्स, इंडक्टर्स	100 नग		1. फामर्स, बेसिम बाबिनस, होल्टर्स, ब्रेकटस, शील्डिंग केसिस, कैन्स	105 जोड़ी	
			2. फेराइट्स अथवा फेराइट मैग्नेट्स सभी प्रकार के	105 जोड़ी	
			3. कापर बाइंडिंग वायर कोटिड अथवा अनकोटिड	1.7 किग्रा.	
			4. काइनर, टेफजल, टेफलान, कोटेज वायर्स/केबल्स	367.5 मीटर्स	
			5. सिलिकान बेस्ड रेजिन्स, ग्रायल्स वार्निशें लक्वेयर्स, इलास्टेयर्स, विद अथवा विदभ्राउट एजिटिव्स	0.5 किग्रा	
			6. इपाक्सी/इपाक्साइड रेसिस/रेसिस/कम्पाउण्डस एनकेपसुलेण्ड्स फिलर्स, थिनर्स, हार्डनर्स, एक्सीलरेटर्स, फायर रिटार्डेंटेस	0.5 किग्रा.	
			7. इन्सुलेटिंग ट्यूबिंग/टैपिंग मैटीरियल टेप रोल अथवा स्ट्रिप में एडहेसिव रहित अथवा सहित	3	
			8. स्पेशल मोकिंग इन्क्स	0.20 किग्रा.	

सार्वजनिक सूचना सं. 165

23-9-93 दिनांक का उपाबंध

क्रम सं.	निर्यात की मद		आयात की मद		मूल्य संयोजन
	नाम	मात्रा	नाम	मात्रा	
1	2	3	4	5	6
817.	स्टेनलेस स्टील हुरिकेन लैन्टर्न	1 नग	1. टिनप्लेट वेस्ट	1.10 किग्रा. निर्यात में प्रति किग्रा. कन्टेन्ट	
818.	स्टेन लेस स्टील एफ एल 500 फूड जार पोलिप्रोपीलीन कप और सापर सहित।	1 किग्रा.	1. स्टेनलेस स्टील शोट 2. पोलिप्रोपीलीन 3. सिलीकान रबड़ 4. नेचुरल रबड़ 5. ब्रिटिश कार्टन बाक्स	0.89 किग्रा. 0.081 किग्रा. 0.015 किग्रा. 0.011 किग्रा. निबल से निबल	
819.	सबमर्सिबल वाटर पम्प सैट अर्थात् पम्पस, मोटर्स, पम्पसैट्स व उसकी एसेसेरीज जैसे केबल कंट्रोल	1 सैट	(क7) कापर राइ/वाइरिंग वायर अथवा कापर वायर बार (ख) ब्रॉज मेटल (ग) पिग आयरन (घ) सीमरएनजीओ स्टील/स्टील शीट कायल/स्ट्रिप (ङ) ईआर डब्ल्यू एस एस टयूब/राइस ग्रेड ए आई एस आई 304/316/431 (च) रबड़/प्लास्टिक पार्ट्स अथवा (च) (1) सिंथेटिक रबड़ (2) एलबीपीई मोल्डिंग पाउडर (3) एचडीपीई मोल्डिंग पाउडर (4) पीपी मोल्डिंग पाउडर (5) एबी मोल्डिंग पाउडर	5.1 किग्रा. 2.5 किग्रा. 34 किग्रा. 31 किग्रा. 14 किग्रा. नेट टू नेट 1.05 किग्रा/निर्यात में किग्रा. कन्टेन्ट —वही— —वही— —वही— —वही—	
820.	बाल्स की संबंधित सामग्री के बाल पेन रिफिल्स के लिए टिप्स	10 लाख नग	1. ब्रास स्क्रैप 2. स्टेनलेस स्टील बाल्स/सेरामिक/बाल्स/टनस्टन कार्बाइड बाल्स	1.875 किग्रा/निर्यात में किग्रा. कंटेन्ट 10,20,000 नग	
821.	जाटर बाल प्वाइंट पेन	1000 नग	(1) एल्यूमिनियम/स्टिप्स/शीट्स/कायल्स (2) एस एस वायर/निकल सिल्वर वायर/ब्रास वायर (3) एस एस बाल्स/टनस्टन कार्बाइड बाल/सेरामिक बाल्स	1.05 किग्रा/निर्यात में कि. ग्राम कन्टेन्ट निर्यात में संबंधित सामग्री का किग्रा. कन्टेन्ट 1020 नग निर्यात से संबंधित	

1	2	3	4	5	6
			(4) एबीएस पाउडर	1.05 किग्रा/निर्यात में किग्रा. कन्टेन्ट	
			(5) ब्रास ट्यूब/राड/स्ट्रिप स्ट्रैप	1.05 किग्रा/निर्यात में किग्रा. कन्टेन्ट	
			(6) डारलिन पाउडर/पोलीए- सिटल रेजिन	1.05 किग्रा/निर्यात में किग्रा. कन्टेन्ट	
			(7) रिफिल इंक अथवा	0.40 किग्रा./ इंक कन्टेन्ट का किग्रा.	
			(7) (क) कोटोमिक रेसिन/ सिथेटिक रेसिन	0.40 किग्रा/किग्रा. इंक कन्टेन्ट	
			(ख) ग्लाइकाल	0.40 किग्रा/इंक कन्टेन्ट का किग्रा.	
			(ग) डाइस्टफ	0.10 किग्रा/इंक कन्टेन्ट का किग्रा.	
822. ड्रिल पाइप्स आफ आउटर डाय- मीटर आकार में 60 एमएम से 160 एमएम, 6" डीड से 6-5/8" डीड			1. प्लेन एण्डसीमलैस पाइप्स	1055 मीटर	
			2. टूल ज्वाइंट फॉर्जिंग्स/प्लेन एंड होलोबाक्स टूल ज्वाइंट ब्लैक	12 जोड़ी	
			*3. कोटिंग मैटीरियल (आप- शनल)	निबल से निबल	
			*4. टंगस्टन कार्बाइड (आप्शन- ल)	} निबल से निबल आधार पर	
			*5. ट्यूब मैटल (आप्शनल)		
823. केसिंग पाइप आफ ओडी 114 एमएम 508 एमएम आकार के 4½" ओडी से 20" ओडी तक	1000 मीटर		1. प्लेन एंड सीमलैस पाइप्स	1055 मीटर	
			2. प्लेन एंड सीमलैस कर्पलिंग स्टाफ	28 मीटर	
			*3. फिनिशड थ्रेड इनसर्ट्स	निबल से निबल आधार पर	
824. प्रोडक्शन ट्यूबिंग आफ ओडी 60 एमएम से 215 एमएम तक आकार 2-3/8" से 4½" ओडी	1000 मीटर		1. प्लेन एंड सीमलैस पाइप्स	1055 मीटर	
			2. प्लेन एंड सीमलैस कर्पलिंग	2 मीटर	
			*3. कोटिंग मैटीरियल (आप्शनल)	} निबल से निबल आधार पर	
			*4. फिनिशड थ्रेड इनसर्ट्स		
टिप्पणी			*क्रम सं. 822 से 824 तक मद सं. 3, 4 और 5 जो ड्रिल पाइप्स के विनिर्माण के लिए आवश्यक है और मद सं. — 3 जो प्रोडक्शन ट्यूबिंग के लिए आवश्यक है केवल तभी अनुमेय होगी यदि वह निर्यात उत्पाद में विनिर्दिष्ट हो।		

क्रम सं०	निर्यात की मद		आयात की मद		मूल्य संयोजन	धर्म्युक्ति
	नाम	मात्रा	नाम	मात्रा		
1	2	3	4	5	6	7
825.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.15 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 118.948 किग्रा०	35	
826.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.16 एमएम मोटाई की।	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 110.759 किग्रा०	35	
827.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स वाइड 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.17 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 103.626 कि०ग्रा०	35	
828.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.18 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 97.356 किग्रा०	35	
829.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.19 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 91.801 किग्रा०	35	
830.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.20 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 86.846 किग्रा०	35	
831.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.21 एमएम मोटाई की।	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 84.564 किग्रा०	35	
832.	सीआरजीपी/जीपी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.22 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 82.398 किग्रा०	35	

833. सीआरजीपी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.23 एमएम मोटाई	1 मी० टन	1. जिक	78.384 कि०ग्रा०	35
834. सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.24 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी० टन 74.743 कि०ग्रा०	35
835. सीआरजीपी/जीपी शीट्स/ स्ट्रिप्स/वाइड 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.25 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी० टन 71.425 कि०ग्रा०	35
836. सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.26 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी० टन 69.874 कि०ग्रा०	35
837. सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.27 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी० टन 68.389 कि०ग्रा०	35
838. सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.28 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी० टन 65.601 कि०ग्राम	35
839. सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.29 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स वाइड, कायल्स 2. जिक	1.118 मी० टन 63.031 कि०ग्रा०	35
840. सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.30 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी० टन 60.654 कि०ग्रा०	35

1	2	3	4	5	6	7
841.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.31 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 58.451 किग्रा०	5	
842.	सीआरजीपी/जीसी शीट्स स्ट्रिप्स वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.32 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 56.402 किग्रा०	35	
843.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.33 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 54.492 किग्रा०	35	
844.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.34 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 52.707 किग्रा०	35	
845.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.35 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स वाइड कायल्स 2. जिक	1. 1.118 मी० टन 51.035 किग्रा०	35	
846.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.36 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 49.466 किग्रा०	35	
847.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.37 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 47.991 किग्रा०	35	
848.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.38 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 46.601 किग्रा०	35	

1	2	3	4	5	6
849.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.39 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 45.289 किग्रा०	35
850.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.40 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 44.049 किग्रा०	35
851.	सीआरजीपी/जी.सी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.41 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 42.875 किग्रा०	35
852.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.42 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 41.762 किग्रा०	35
853.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.43 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन० 40.706 किग्रा०	35
854.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.44 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 39.701 किग्रा०	35
855.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.45 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 38.745 किग्रा०	35
856.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.46 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 37.834 किग्रा०	35

1	2	3	4	5	6	7
857.	सीमरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.47 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 36.965 किग्रा०	35	
858.	सीमरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.48 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 36.135 किग्रा०	35	
859.	सीमरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.4 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 35.341 किग्रा०	35	
860.	सीमरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.50 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 34.581 किग्रा०	35	
861.	सीमरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.51 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 33.854 किग्रा०	35	
862.	सीमरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.52 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 33.156 किग्रा०	35	
863.	सीमरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.53 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 32.487 किग्रा०	35	
864.	सीमरजीपी/पीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.54 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 31.844 किग्रा०	35	



1	2	3	4	5	6
865.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.52 एमएम मोटाई	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 31.226 किग्रा०	35
866.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.56 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 30.631 किग्रा०	35
867.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.57 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स काइड कायल्स 2. जिक	1. 118 मी० टन 30.059 किग्रा०	35
868.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.58 एमएम मोटाई का	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 29.508 किग्रा०	35
869.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.59 एमएम मोटाई का	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 28.977 किग्रा०	35
870.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का/जिक कोटिंग वाली 0.60 एमएम मोटाई का	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स काइड कायल्स 2. जिक	1118 मी० टन 28.464 किग्रा०	
871.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.61 एम मोटाई का	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 27.969 किग्रा०	35
872.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.62 एमएम मोटाई का	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 27.491 किग्रा०	35

1	2	3	4	5	6	7
873.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.63 एमएम मोटाई का	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 27.029 किग्रा०	35	
874.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी. का जिक कोटिंग वाली 0.64 एमएम मोटाई का	1 मी टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 26.583 किग्रा०	35	
875.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्रा प्रति वर्ग मी का जिक कोटिंग वाली 0.65 एमएम मोटाई का	1 मी टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी टन 26.151 किग्रा	35	
876.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.66 एमएम मोटाई का	1 मी० टन	1. हाट रोलड स्टील शीट्स स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 25.733 किग्रा०	35	
877.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.67 एमएम मोटाई का	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 25.327 किग्रा०	35	
878.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मी० का जिक कोटिंग वाली 0.68 एमएम मोटाई का	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 24.935 किग्रा०	35	
879.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.69 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मी० टन 24.554 किग्रा०	35	
880.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/काइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.70 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/काइड कायल्स 2. जिक	1. 118 मा० टन 24.185 किग्रा०	35	

1	2	3	4	5	6	7
881.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.71 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 23.82 किग्रा०	35	
882.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.72 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 23.479 किग्रा०	35	
883.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.73 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 23.142 किग्रा०	35	
884.	सीआरजीपी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.74 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 22.814 किग्रा०	35	
885.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.75 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 22.495 किग्रा०	35	
886.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.76 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 22.185 किग्रा०	35	
887.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.77 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० ईन 21.883 किग्रा०	35	
888.	सीआरजीपी/जीसी शीट्स/स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.78 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 21.589 किग्रा०	35	

1	2	3	4	5	6	7
889.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.79 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 21.303 किग्रा०	35	
890.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.80 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 21.025 किग्रा०	35	
891.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.81 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 20.888 किग्रा०	35	
892.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.82 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 20.754 किग्रा०	35	
893.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स/120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.83 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 20.621 किग्रा०	35	
894.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.84 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 20.489 किग्रा०	35	
895.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स/120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.85 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 20.360 किग्रा०	35	
896.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड/कायल्स/ 120 ग्राम प्रति वर्गमीटर की जिक कोटिंग वाली 0.86 एमएम मोटाई की	1 मी० टन	2. हाट रोल्ड स्टील शीट्स स्ट्रिप्स/ वाइड कायल्स 3. जिक	1. 118 मी० टन 20.232 किग्रा०	35	

1	2	3	4	5	6	7
897.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स/ 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.87 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक	1. 118 मी० टन 20.105 किग्रा०	35	
898.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.88 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 19.981 किग्रा०	35	
899.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.89 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक	1. 118 मी० टन 19.857 किग्रा०	35	
900.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.90 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील/ शीट्स/स्ट्रिप्स वाइड कायल्स 2. जिक	1. 118 मी० टन 19.735 किग्रा०	35	
901.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.91 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स वाइड कायल्स 2. जिक	1. 118 मी० टन 19.496 किग्रा०	35	
902.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.92 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स वाइड कायल्स 2. जिक	1. 118 मी० टन 19.263 किग्रा०	35	
903.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.93 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स स्ट्रिप्स वाइड कायल्स 2. जिक	1. 118 मी० टन 19.035 किग्रा०	35	
904.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स वाइड/कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.94 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स स्ट्रिप्स वाइड कायल्स 2. जिक	1. 118 मी० टन 18.812 किग्रा०	35	

1	2	3	4	5	6	7
905.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्गमीटर की जिक कोटिंग वाली 0.95 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील/ शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक	1. 118 मी० टन 18.595 किग्रा०	35	
906.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.96 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स स्ट्रिप्स वाइड कायल्स 2. जिक	1. 118 मी० टन 18.383 किग्रा०	35	
907.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.97 एमएम मोटाई की	1 मी० टन	1. हाई रोलड स्टील शीट्स स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 18.175 किग्रा०	35	
908.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.98 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 17.972 किग्रा०	35	
909.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.99 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 17.773 किग्रा०	35	
910.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 120 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 1.00 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 17.579 किग्रा०	35	
911.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मी० की जिक कोटिंग वाली 0.15 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 168.891 किग्रा०	35	
912.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.16 एमएम मोटाई की	1 मी० टन	1. हाट रोलड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 157.845 किग्रा०	35	

1	2	3	4	5	6	7
913.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 188 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.17 एमएम मोटाई की।	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 148.155 किग्रा	35	
914.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.18 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 139.586 किग्रा	35	
915.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.19 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 131.955 किग्रा०	35	
916.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.20 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 125.113 किग्रा०	35	
917.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.21 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 121.953 किग्रा०	35	
918.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.22 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 118.948 किग्रा०	35	
919.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.23 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 113.361 किग्रा०	35	
920.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.24 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन० 108.275 किग्रा०	35	

1	2	3	4	5	6	7
921.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.25 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 103.626 किग्रा०	35	
922.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.26 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 101.448 किग्रा०	35	
923.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर 0.27 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2 जिक	1. 1.118 मी० टन 99.360 किग्रा०	35	
924.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर 0.28 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 95.431 किग्रा०	35	
925.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.29 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 91.801 किग्रा०	35	
926.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.30 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 88.437 किग्रा०	35	
927.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.21 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 85.311 किग्रा०	35	
928.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.32 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 1.118 मी० टन 82.398 किग्रा०	35	



1	2	3	4	5	6	7
929.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.33 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 79.678 किग्रा०	35	
930.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.34 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 77.132 किग्रा०	35	
931.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.35 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 74.743 किग्रा०	35	
932.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.36 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 72.498 किग्रा०	35	
933.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.37 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 70.384 किग्रा०	35	
934.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.38 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 68.389 किग्रा०	35	
935.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.39 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 66.505 किग्रा०	35	
936.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.40 एमएम मोटाई की	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 64.721 किग्रा०	35	

1	2	3	4	5	6	7
937.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.41 एमएम मोटाई की	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 63.031 किग्रा.	35	
938.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्ग मीटर की जिक कोटिंग वाली 0.42 एमएम मोटाई की	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 61.427 किग्रा	35	
939.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्गमीटर की जिक कोटिंग वाली 0.43 एमएम मोटाई की	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 59.902 किग्रा.	35	
940.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्गमीटर की जिक कोटिंग वाली 0.44 एमएम मोटाई की	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 58.451 किग्रा.	35	
941.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्गमीटर की जिक कोटिंग वाली 0.45 एमएम मोटाई की	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 57.069 किग्रा.	35	
942.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्गमीटर की जिक कोटिंग वाली 0.46 एमएम मोटाई की	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 55.751 किग्रा.	35	
943.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्गमीटर की जिक कोटिंग वाली 0.47 एमएम मोटाई की	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 54.492 किग्रा.	35	
944.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्गमीटर की जिक कोटिंग वाली 0.48 एमएम मोटाई की	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 53.289 किग्रा.	35	

1	2	3	4	5	6	7
945.	सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स 180 ग्राम प्रति वर्गमीटर की जिक कोटिंग वाली 0.89 एमएम मोटाई की	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 52.138 कि ग्रा.	35	
946.	3180 ग्राम प्रति वर्ग मी० जिक कोटिंग वाले 0.50 मि०मी० मोटाई के सीआरजीपी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी० टन	1. हाटरोल्ड शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 51.035 कि० ग्रा०	35	
947.	3180 ग्राम प्रति वर्ग मी० जिक कोटिंग वाले 0.51 मि०मी० मोटाई के सीआरजीपी/जीसी शीट्स/ वाइड कायल्स	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स वाइड कायल्स 2. जिक	1. 118 मी० टन 49.978 कि०ग्रा०	35	
948.	3180 ग्राम प्रति वर्ग मी० • जिक कोटिंग वाले 0.52 मि०मी० मोटाई के सीआरजीपी/जीसी शीट्स/ वाइड कायल्स	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 48.964 कि०ग्रा०	35	
949.	3180 ग्राम प्रति वर्ग मी० जिक कोटिंग वाले 0.53 मि०मी० मोटाई के सीआरजीपी/जीसी शीट्स/ वाइड कायल्स	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 47.991 कि०ग्रा०	35	
950.	3180 ग्राम प्रति वर्ग मी० जिक कोटिंग वाले 0.54 मि०मी० मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 47.055 कि०ग्र	35	
951.	3180 ग्राम प्रति वर्ग मी० जिक कोटिंग वाले 0.55 मि०मी० मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी० टन	1. हाटरोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 46.155 कि०ग्रा०	35	
952.	3180 ग्राम प्रति वर्ग मी० जिक कोटिंग वाले 0.56 मि०मी० मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी० टन	1. हाटरोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 45.289 कि०ग्रा०	35	4444

1	2	3	4	5	6
953.	3180 ग्राम प्रति वर्ग मी० जिक कोटिंग वाले 0.57 मि०मी० मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 44.455 कि०ग्रा०	53
954.	3180 ग्राम प्रति वर्ग मी० जिक कोटिंग वाले 0.58 मि०मी० मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी० टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी० टन 43.651 कि०ग्रा०	35
955.	3180 ग्राम प्रति वर्ग मी० जिक कोटिंग वाले 0.59 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1 हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2 जिक	1. 118 मी. टन 42.875 कि. ग्रा.	35
956.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.60 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1 हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 42.127 कि. ग्रा.	35
957.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वा 0.61 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1 हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 41.404 कि. ग्राम	35
958.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.62 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 40.706 कि.ग्रा.	35
959.	3180 ग्राम प्रति वर्ग मी० जिक कोटिंग वाले 0.63 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 40.31 कि. ग्रा.	35
960.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.64 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 39.378 कि. ग्रा.	35

1	2	3	4	5	6
961.	3170 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.65 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी. टन 38.745 कि. ग्रा.	35
962.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.66 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी. टन 38.133 कि. ग्रा.	35
963.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.67 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी. टन 37.540 कि. ग्रा.	35
964.	3180 प्रति वर्ग मी. जिक कोटिंग वाले 0.68 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी. टन 36.965 कि. ग्रा.	35
965.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.69 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी. टन 36.408 कि. ग्रा.	35
966.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.70 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ वाइड कायल्स 2. जिक	1.118 मी. टन 35.866 कि. ग्रा.	35
967.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 71 मि.मी. मोटाई के सी आर जी पी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी. टन 35.341 कि. ग्रा.	35
968.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.72 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1.118 मी. टन 34.831 कि. ग्रा.	35

1	2	3	4	5	6
969.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.73 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हार्ड रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 34.336 कि. ग्रा.	35
970.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.74 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हार्ड रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 33.854 कि. ग्रा.	35
971.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.75 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हार्ड रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 33.386 कि. ग्रा.	35
972.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.76 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हार्ड रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 32.930 कि. ग्रा.	35
973.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.77 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हार्ड रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 32.487 कि. ग्रा.	35
974.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.78 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स वाइड कायल्स	1 मी. टन	1. हार्ड रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 32.055 कि. ग्रा.	35
975.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.79 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हार्ड रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 31.635 कि. ग्रा.	35
976.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.80 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हार्ड रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 31.226 कि. ग्रा.	35

1	3	4	5	6
977. 3180 ग्राम प्रति वर्ग मी. 1 मी. टन जिक कोटिंग वाले 0.81 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स		1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 31.025 कि. ग्रा.	35
978. 3180 ग्राम प्रति वर्ग मी. 1 मी. टन जिक कोटिंग वाले 0.82 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स		1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 30.827 कि. ग्रा.	35
979. 3180 ग्राम प्रति वर्ग मी. 1 मी. टन जिक कोटिंग वाले 0.82 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स		1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 30.631 कि. ग्रा.	35
980. 3180 ग्राम प्रति वर्ग मी. 1 मी. टन जिक कोटिंग वाले 0.84 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स		1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 30.438 कि. ग्रा.	35
981. 3180 ग्राम प्रति वर्ग मी. 1 मी. टन जिक कोटिंग वाले 0.85 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स		1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 30.248 कि. ग्रा.	35
982. 3180 ग्राम प्रति वर्ग मी. 1 मी. टन जिक कोटिंग वाले 0.86 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स		1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 30.059 कि. ग्रा.	35
983. 3180 ग्राम प्रति वर्ग मी. 1 मी. टन जिक कोटिंग वाले 0.87 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स		1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 29.879 कि. ग्रा.	35
984. 3180 ग्राम प्रति वर्ग मी. 1 मी. टन जिक कोटिंग वाले 0.88 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स		1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 29.689 कि. ग्रा.	35

1	2	3	4	5	6
985.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.89 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 29.508 कि. ग्रा.	35
986.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.90 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 29.329 कि. ग्रा.	35
987.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.91 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 28.977 कि. ग्रा.	35
988.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.92 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 28.633 कि. ग्रा.	35
989.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.93 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 28.297 कि. ग्रा.	35
990.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.94 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 27.969 कि. ग्रा.	35
991.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.95 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 27.649 कि. ग्रा.	35
992.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.96 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/ स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 27.336 कि. ग्रा.	35



1	2	3	4	5	6
993.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.97 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 27.029 कि.ग्रा.	35 35
994.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.97 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 26.730 कि.ग्रा.	35
995.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.99 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 26.437 कि.ग्रा.	35
996.	3180 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.100 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 26.151 कि.ग्रा.	35
997.	3275 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.15 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 237.905 कि.ग्रा.	35
998.	3275 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.16 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 223.486 कि.ग्रा.	35
999.	3275 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.17 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 210.714 कि.ग्रा.	35
1000.	3275 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.18 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 199.323 कि.ग्रा.	35
1001.	3275 ग्राम प्रति वर्ग मी. जिक कोटिंग वाले 0.19 मि. मी. मोटाई के सी आर जी पी/जी सी शीट्स/स्ट्रिप्स/वाइड कायल्स	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 189.101 कि.ग्रा.	35



[illegible]



[illegible]



[illegible]



[illegible]



1	2	3	4	5	6
1075	प्रति वर्ग मी. 3275 ग्राम जिक वाले 0.93 मिमी. मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड/कॉयल्स	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 42.628 किग्रा.	35
1076	प्रति वर्ग मी. 3275 ग्राम जिक कोटिंग वाले 0.94 मिमी. मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड/कॉयल्स	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 42.140 किग्रा.	35
1077	प्रति वर्ग मी. 3275 ग्राम जिक कोटिंग वाले 0.95 मिमी. मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड/कॉयल्स	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 41.664 किग्रा.	35
1078	प्रति वर्ग मी. 3275 ग्राम जिक कोटिंग वाले 0.96 मिमी. मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड/कॉयल्स	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 41.199 किग्रा.	35
1079	प्रति वर्ग मी. 3275 ग्राम जिक कोटिंग वाले 0.97 मिमी. मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड/कॉयल्स	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 40.753 किग्रा.	35
1080	प्रति वर्ग मी. 3275 ग्राम जिक कोटिंग वाले 0.98 मिमी. मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड/कॉयल्स	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 40.298 किग्रा.	35
1081	प्रति वर्ग मी. 3275 ग्राम जिक कोटिंग वाले 0.99 मिमी. मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड/कॉयल्स	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक	1. 118 मी. टन 39.862 किग्रा.	35
1082	प्रति वर्ग मी. 3275 ग्राम जिक कोटिंग वाले 1.00 मिमी. मोटाई के सीआरजीपी/जीसी शीट्स/ स्ट्रिप्स/वाइड/कॉयल्स	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 1. जिक	1. 118 मी. टन 39.436 किग्रा.	35
1083	कोल्ड, रोल्ड, गैल्वेनाइज्ड, कलर, कोटड शीट्स/स्ट्रिप्स/वाइड, कायल्स ऑफ कलर कोटड स्टील शीट्स सीआर थिकनेस 0.15 एम एम हैविंग जिक कोटड ऑफ 180 जी एम एस पर स्क्वायर एमटीआर 40 स्क्वायर मीटर पर लिटर, प्राईमर, 20 स्क्वायर मीटर पर लिटर ऐज टोपकोट, 25 स्क्वायर मीटर पर लिटर ऐज बेकर	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कोईल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 172.268 किग्रा. 21.204 लि. 42.409 लि. 33.927 लि. }	35 35

1	2	3	4	5	6
1084	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड, शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.16 एम एम हैविंग जिक कोटेड आफ 180 जी एम एस पर स्क्वायर एमटीआर 40 स्क्वायर मीटर पर लिटर, प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोप कोट, 25 स्क्वायर मी. पर लिटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 161.002 किग्रा. 19.879 लि. 39.758 लि. 31.807 लि.	35
1085	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.17 एम एम हैविंग जिक कोटेड आफ 180 जी एम एस पर स्क्वायर एमटीआर, एम एस पर स्क्वायर एमटीआर 40 स्क्वायर मीटर पर लि., प्राईमर, 20 स्क्वायर मी. पर लि., ऐज टोप कोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	130 मी. टन 151.118 किग्रा 18.710 लि. 37.419 लि. 29.936 लि.	35
1086	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.18 एम एम हैविंग जिक कोटेड आफ 180 जी एम एस पर स्क्वायर एमटीआर 40 स्क्वायर मी. पर लि., प्राईमर, 20 स्क्वायर मी. पर लि., ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 142.378 किग्रा. 17.670 लि. 35.341 लि. 28.272 लि.	35
1087	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.19 एम एम हैविंग जिक कोटेड आफ 180 जी एम एस पर स्क्वायर एमटीआर 40 स्क्वायर मी. पर लि., प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 134.594 किग्रा. 18.740 लि. 33.481 लि. 26.783 लि.	35

1	2	3	4	5	6
1088	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स सीआर थिकनेस 0.20 एम एन हैविंग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि., प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोप कोट, 25 स्क्वायर मी. पर लि., ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 127.615 कि. ग्रा. 15.903 लि. 31.807 लि. 25.445 लि.	35
1089	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स सीआर थिकनेस 0.21 एमएम हैविंग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि., प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 124.392 किग्रा. 15.146 लि. 30.292 लि. 24.234 लि.	35
1090	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.22 एमएम हैविंग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर लि., 40 स्क्वायर मी. पर लि. प्राईमर, 20 स्क्वायर मी. पर, ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी टन 121.327 किग्रा. 14.457 लि. 28.915 लि. 23.132 लि.	35
1091	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील/शीट्स/सीआर थिकनेस 0.23 एमएम हैविंग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि. प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर,	1. 130 मी. टन 115.628 किग्रा. 13.829 लि. 27.658 लि. 22.126 लि.	35

1	2	3	4	5	6
1092	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स सी आर थिकनेस 0.24 एमएम हैविंग जिक कोटेड आफ 180 जी एम एस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि., प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 110.440 किग्रा. 13.253 लि. 26.505 लि. 21.204 लि.	35
1093	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स सी आर थिकनेस 0.25 एमएम हैविंग जिक कोटेड आफ 180 जी एम एस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि. प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोपकोट 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 105.699 किग्रा. 12.723 लि. 25.445 लि. 20.356 लि.	35
1094	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स सी आर थिकनेस 0.26 एमएम हैविंग जिक कोटेड आफ 180 जी एम एस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि. प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 103.477 किग्रा. 12.283 लि. 24.467 लि. 19.573 लि.	35
1095	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स सी आर थिकनेस 0.27 एमएम हैविंग जिक कोटेड आफ 180 जी एम एस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि. प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 101.347 किग्रा. 11.780 लि. 23.560 लि. 18.848 लि.	35

1	2	3	4	5	6
1096	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स सीआर थिकनेस 0.28 एमएम हेविग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि. प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड/कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 97.340 किग्रा. 11.359 लि. 22.719 लि. 18.175 लि.	35
1097	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स सीआर थिकनेस 0.29 एमएम हेविग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि. प्राईमर, 20 स्क्वायर मी. पर लि. ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड/कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 93.637 किग्रा. 10.968 लि. 21.936 लि. 17.548 लि.	35
1098	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स आफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.30 एमएम हेविग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर 40 स्क्वायर मी. पर लि. 20 स्क्वायर मी. पर लि. ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड/कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 90.206 किग्रा. 10.602 लि. 21.204 लि. 16.963 लि.	35
1099	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.31 एमएम हेविग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि. 20 स्क्वायर मी. पर लि. ऐज टोपकोट, 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड/कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 87.1017 किग्रा. 10.260 लि. 20.520 लि. 16.416 लि.	35

1	2	3	4	5	6
1100	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.32 एमएम हैविंग कोटेड ऑफ 180 जीएमएस पर स्क्वायर एमटीआर, 40 स्क्वायर मी. पर लि. 20 स्क्वायर मी. पर लि. ऐज टोपकोट 25 स्क्वायर मी. पर लि. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेन्टस (क) प्राइमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 84.046 किग्रा. 9.940 लि. 19.879 लि. 15.903 लि.	35
1101	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.33 एमएम हैविंग जिक कोटिंग ऑफ 180 ग्रामस् पर स्क्वायर मीटर, 40 स्क्वायर मीटर, पर लिटर प्राइमर 20 वर्ग मी. पर लिटर ऐज टोप कोट 25 वर्ग मीटर, पर लिटर, ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेन्टस (क) प्राइमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 81.272 कि. ग्रा. 9.638 लि. 19.277 लि. 15.421 ली.	35
1102	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.34 एमएम हैविंग जिक कोटिंग ऑफ 180 ग्रामस् पर स्क्वायर मीटर, 40 वर्ग मीटर, पर लिटर प्राइमर, 20 वर्ग मीटर पर लिटर ऐज टोप कोट 25 वर्ग मीटर, पर लिटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेन्टस (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 78.674 कि. ग्रा. 9.355 लिटर 18.710 ली. 14.968 ली.	35
1103	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.35 एमएम हैविंग जिक कोटिंग ऑफ 180 ग्रामस् पर वर्ग मीटर, 40 वर्ग मीटर, पर लिटर प्राइमर 20 वर्ग मीटर पर लिटर ऐज टोप कोट, 25 वर्ग मीटर, पर लिटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेन्टस (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 76.238 कि. ग्रा. 9.088 लीटर 18.175 ली. 14.540 ली.	35

1	2	3	4	5	6
104.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/ सी आर थिकनेस 0.36 एमएम हैविंग जिन्क कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर 40, वर्ग मीटर, पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिंक 3. पेन्ट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 73.948 कि. ग्रा. 8.835 लीटर 17.670 ली. 14.136 ली.	35
1105.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/ सी आर थिकनेस 0.37 एमएम हैविंग जिन्क कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिंक 3. पेन्ट्स (क) प्राइमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 71.791 कि. ग्रा. 8.596 लीटर 17.193 ली. 13.754 ली.	
1106.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड/शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/ सी आर थिकनेस 0.38 एमएम हैविंग जिन्क कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग- मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मी. पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिंक 3. पेन्ट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 69.757 कि. ग्रा. 8.376 लीटर 16.740 ली. 13.392 ली.	35
1107.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.39 एमएम हैविंग जिंक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिंक 3. पेन्ट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 67.835 कि. ग्रा. 8.156 लीटर 16.311 ली. 13.049 ली.	35



1	2	3	4	5	6
1108.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.40 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 13 मी. टन 66.016 कि.ग्रा. 7.952 लीटर 15.903 ली. 12.723 ली.	35
1109.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.41 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 64.292 कि.ग्रा. 7.758 लीटर 15.515 ली. 12.412 ली.	35
1110.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.42 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 62.655 कि.ग्रा. 7.573 लीटर 15.146 ली. 12.117 ली.	35
1111.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.43 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 61.100 कि.ग्रा. 7.397 लीटर 14.794 ली. 11.835 ली.	35
1112.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.44 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 59.620 कि.ग्रा. 7.229 लीटर 14.457 ली. 11.566 ली.	35



1	2	3	4	5	6
1113.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड 1 मी. टन शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी आर थिकनेस 0.45 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर, पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 58.210 कि.ग्रा. 7.068 लीटर 14.136 ली. 11.309 ली.	35
1114.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड 1 मी. टन शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी आर थिकनेस 0.46 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर. पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 56.866 कि. ग्रा. 6.914 लीटर 13.829 ली. 11.063 ली.	35
1115.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड 1 मी. टन शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी आर थिकनेस 0.47 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर ऐज टोप कोट, 25 वर्ग मीटर पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 55.582 कि. ग्राम 6.767 लीटर 13.535 ली. 10.828 ली.	35
1116.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी आर थिकनेस 0.48 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर. पर लीटर प्राइमर, 20 वर्ग मीटर. पर लीटर ऐज टोप कोट, 25 वर्ग मीटर. पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 54.355 कि. ग्रा. 6.626 लीटर 13.253 ली. 10.602 ली.	35
1117.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी आर थिकनेस 0.49 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर 40 वर्ग मीटर. पर लीटर प्राइमर, 20 वर्ग मीटर. पर लीटर ऐज टोप कोट, 25 वर्ग मीटर पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 53.180 कि. ग्रा. 6.491 लीटर 12.982 ली. 10.386 ली.	35

1	2	3	4	5	6
1118.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटड 1 मी. टन शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रा थिकनेस 0. 50 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर, पर लीटर प्राइमर, 20 वर्ग मीटर. पर लीटर. ऐज टोप कोट, 25 वर्ग मीटर पर लीटर. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 52. 056 कि. ग्रा. 6. 361 लीटर 12. 723 ली. 10. 178 ली.	35
1119.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/ सी ग्रा थिकनेस 0. 51 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर वर्ग मीटर, 40 वर्ग मीटर. पर लीटर प्राइमर, 20 वर्ग मीटर पर लीटर. ऐज टोप कोट, 25 वर्ग मीटर. पर लीटर. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 50. 978 कि. ग्रा. 6. 237 लीटर 12. 473 ली. 9. 979 ली.	35
1120.	कोल्ड रोल्ड गेल्वेनाइज्ड, कलर कोटड 1 मी. टन शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रा थिकनेस 0. 52 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वा- यर मीटर, 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर ऐज टोप कोट, 25 वर्ग मीटर. पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील/शीट्स/स्ट्रिप्स/ वाइड कायल्स 3. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन. 49. 944 कि. ग्रा. 6. 117 लीटर 12. 233 ली. 9. 787 ली.	35
1121.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटड 1 मी. टन शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रा थिकनेस 0. 53 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर, 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर ऐज टोप कोट, 25 वर्ग मीटर. पर लीटर ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 48. 951 कि. ग्रा 6. 001 लीटर 12. 002 लीटर 9. 602 लीटर	35
1122.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटड 1 मी. टन. शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रा थिकनेस 0. 54 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वा- यर मीटर, 40 स्क्वायर मीटर, पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर. ऐज टोप कोट, 25 वर्ग मी. पर लीटर ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 47. 996 कि. ग्रा. 5. 890 लीटर 11. 780 लीटर 9. 424 ली.	35

1	2	3	4	5	6
1123.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड 1 मी. टन. शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रा थिकनेस 0. 55 एम एम हैविग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर, 40 स्क्वायर मीटर, पर लीटर प्राइ- मर, 20 स्क्वायर मीटर. पर लीटर ऐज टोप कोट, 25 वर्ग मी., पर लीटर ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 47. 078 कि. ग्रा. 5. 783 लीटर 11. 566 ली. 9. 253 ली.	35
1124.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड 1 मी. टन. शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रा थिकनेस 0. 56 एम एम हैविग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वा- यर मीटर, 40 स्क्वायर मीटर, पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर. ऐज टोप कोट, 25 वर्ग मी. पर लीटर ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन. 46. 195 कि. ग्रा. 5. 680 लीटर 11. 359 ली. 9. 088 ली.	35
1125.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड 1 मी. टन. शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रा थिकनेस 0. 57 एम एम हैविग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वा- यर मीटर, 40 स्क्वायर मीटर, पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर. ऐज टोप कोट, 20 स्क्वायर मीटर. पर लीटर. ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 45. 344 कि. ग्रा. 5. 580 लीटर 11. 160 ली. 8. 92 ली.	35
1126.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड 1 मी. टन. शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रा थिकनेस 0. 58 एम एम हैविग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वा- यर मीटर. 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मी. पर लीटर. ऐज टोप कोट, 20 स्क्वा- यर मीटर. पर लीटर. ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 44. 524 कि. ग्रा. 5. 484 लीटर 10. 968 ली. 8. 774 ली.	35
1127.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड 1 मी. टन. शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रा थिकनेस 0. 59 एम एम हैविग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मी., 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर. ऐज टोप कोट, 20 स्क्वायर मीटर. पर लीटर. ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/ वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 43. 733 कि. ग्रा. 5. 391 लीटर 10. 782 ली. 8. 625 ली.	35

1	2	3	4	5	6
1128.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्राय थिकनेस 0.60 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर, 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर. ऐज टोप कोट 25 स्क्वायर मीटर. पर लीटर. ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 42.970 कि. ग्रा.  5.301 लीटर 10.602 ली. 8.482 ली.	35
1129.	कोल्ड रोल्ड, गेल्बेनाइज्ड कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्राय थिकनेस 0.61 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर, 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर ऐज टोप कोट, 25 स्क्वायर मीटर. पर लीटर. ऐज बेकर	1 मी. टन	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 42.232 कि. ग्रा.  5.214 लीटर 10.428 ली. 8.343 ली.	35
1130.	कोल्ड रोल्ड, गेल्बेनाइज्ड कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्राय थिकनेस 0.62 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर, 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर, ऐज टोप कोट, 25 वर्ग मी. पर लीटर. ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन. 41.520 कि. ग्रा.  5.130 लीटर 10.260 ली. 8.208 ली.	35
1131.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्राय थिकनेस 0.63 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर, 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर. ऐज टोप कोट, 25 स्क्वायर मीटर. पर लीटर ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 40.831 कि. ग्रा.  5.049 लीटर 10.097 ली. 8.078 ली.	35
1132.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्राय थिकनेस 0.64 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर, 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर. ऐज टोप कोट, 25 वर्ग मी. पर लीटर ऐज बेकर	1 मी. टन	1. कोट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 40.165 कि. ग्रा.  4.970 लीटर 9.940 ली. 7.952 ली.	35

1	2	3	4	5	6
1133.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रायिकनेस 0. 65 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर, 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मीटर पर लीटर ऐज टोप कोट, 25 स्क्वायर मीटर पर लीटर. ऐज बेकर	1 मी. टन.	1. कोट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन. 39. 520 कि. ग्रा. 4. 893 लीटर 9. 787 ली. 7. 829 ली.	35
1134.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रायिकनेस 0. 66 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर, 40 स्क्वायर मीटर, पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर. ऐज टोप कोट, 25 स्क्वायर मीटर पर लीटर. ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 38. 896 किग्रा. 4. 819 लीटर 9. 638 ली. 7. 711 लीटर	35
1135.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रायिकनेस 0. 67 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर, 40 स्क्वायर मीटर. पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर. ऐज टोप कोट, 25 स्क्वायर मीटर पर लीटर ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड/कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन. 38. 291 कि ग्रा. 4. 747 लीटर 9. 494 ली. 7. 596 ली.	35
1136.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रायिकनेस 0. 68 एम एम हैविंग जिक कोटिंग ऑफ 180 ग्राम्स पर स्क्वायर मीटर. 40 स्क्वायर मीटर पर लीटर प्राइमर, 20 स्क्वायर मीटर. पर लीटर. ऐज टोप कोट, 25 स्क्वायर मीटर. पर लीटर. ऐज बेकर	1 मी. टन.	1. होट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोप कोट (ग) बेकर	1. 130 मी. टन 37. 704 कि. ग्रा. 4. 677 लीटर 9. 355 ली. 7. 484 ली.	35
1137.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटड शीट्स/स्ट्रिप्स/वाइड कायल्स ऑफ कलर कोटड स्टील शीट्स/सी ग्रायिकनेस 0. 69 एम एम हैविंग जिक कोटड ऑफ 180 जीएमएस पर स्क्वायर एमटीआर 40 स्क्वायर मीटर पर लि. ऐज टोप कोट, 25 स्क्वायर मीटर पर लिटर ऐज बेकर	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कोईल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 37. 136 किग्रा. 4. 610 लि. 9. 219 लि. 7. 375 लि.	35

1	2	3	4	5	6
1138.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाईड कायल्स आफ कलर कोटेड स्टील शीट्स/सी आर थिकनेस 0.70 एमएम हैविंग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर 40 स्क्वायर मीटर पर लिटर ऐज टोपकोट, 25 स्क्वायर मीटर पर लिटर ऐज बेकर	1 मी. टन	1. हाट रोल्ड/स्टील शीट्स/स्ट्रिप्स/वाईड काईल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी टन 36.584 किग्रा. 4.544 लि. 9.088 लि. 7.270 लि.	35
1139.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाईड कायल्स आफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.71 एमएम हैविंग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर 40 स्क्वायर मीटर पर लिटर ऐज टोपकोट, 25 स्क्वायर मीटर पर लिटर ऐज बेकर	1 मी. टन	1. हाट रोल्ड/स्टील शीट्स/स्ट्रिप्स/वाईड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी टन 36.048 किग्रा. 4.480 लि. 8.960 लि. 7.168 लि.	35
1140.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाईड कायल्स आफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.72 एमएम हैविंग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर 40 स्क्वायर मीटर पर लिटर, प्राईमर 20 स्क्वायर मीटर पर लिटर ऐज टोप कोट 25 स्क्वायर मीटर पर लिटर ऐज बेकर	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाईड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 35.528 कि ग्रा. 4.418 लि. 8.835 लि. 7.068 लि.	35
1141.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाईड कायल्स आफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.73 एमएम हैविंग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर, 40 स्क्वायर मीटर पर लिटर प्राईमर, 20 स्क्वायर मीटर पर लिटर ऐज टोपकोट, 25 स्क्वायर मीटर पर लिटर ऐज बेकर	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाईड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 35.022 किग्रा. 4.357 लि. 8.714 लि. 6.971 लि.	35
1142.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटेड शीट्स/स्ट्रिप्स/वाईड कायल्स आफ कलर कोटेड स्टील शीट्स/सीआर थिकनेस 0.74 एमएम हैविंग जिक कोटेड आफ 180 जीएमएस पर स्क्वायर एमटीआर, 40 स्क्वायर मीटर पर लिटर प्राईमर, 20 स्क्वायर मीटर पर लिटर ऐज टोपकोट, 25 स्क्वायर मीटर पर लिटर ऐज बेकर	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाईड कायल्स 2. जिक 3. पेंट्स (क) प्राईमर (ख) टोपकोट (ग) बेकर	1. 130 मी. टन 34.531 कि ग्रा. 4.298 लि. 8.596 लि. 6.877 लि.	35



क्र.सं. नाम	निर्यात की मद मात्रा	आयात की मद नाम	मात्रा	मूल्य संयोजन %
1	2	3	4	5
1143.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट आफ बाइड कायल्स/ सी आर मोटाई 0.75 एमएम के 180 ग्राम प्रति वर्ग मी., 0.40 वर्ग मी., प्रति 1 लीटर प्राइमर, 20 वर्ग मी. प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मी. प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/बाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 30 मी. टन 34.053 कि.ग्रा. 4.241 लि. 8.482 लि. 6.785 लि.
				35
1144.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट आफ बाइड कायल्स/ सी आर मोटाई 0.76 एमएम के 180 ग्राम प्रति वर्ग मी., 0.40 वर्ग मी., प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मी. प्रति 1 लीटर बैकर के रूप में, जिक कोटिंग सहित।	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/बाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 33.589 कि.ग्रा. 4.185 ली. 8.370 ली. 6.696 ली.
				35
1145.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट आफ बाइड कायल्स/ सी आर मोटाई 0.77 एमएम के 180 ग्रा. प्रति वर्ग मी., 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मी. प्रति 1 लीटर बैकर के रूप में, जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/बाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 33.137 कि. ग्रा. 4.131 लीटर 8.261 ली. 6.609 ली!
				35
1146.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट आफ बाइड कायल्स/ सी आर मोटाई 0.78 एमएम के 180 ग्राम प्रति वर्ग मी., 0.40 वर्ग मी., प्रति 1 लीटर प्राइमर, 20 वर्ग मी. प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मी. प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/बाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 32.697 कि.ग्रा. 4.078 लीटर 8.156 ली. 6.524 ली.
				35

1	2	3	4	5	6
1147.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/ सी ग्यार मोटाई 0.79 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिड सहित ।	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 32.268 कि.ग्रा. 4.026 लीटर 8.052 ली. 6.442 ली.	35
1148.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स सी ग्यार मोटाई 0.80 एम एम के 180 ग्राम प्रति वर्ग मी., 0.40 वर्ग मी., प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर रूप में, की जिक कोटिड सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 31.850 कि.ग्रा. 3.976 लीटर 7.952 ली. 6.361 ली.	35
1149.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/ सी ग्यार मोटाई 0.81 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिड सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 21.646 कि.ग्रा. 3.927 लीटर 7.853 ली. 6.283 ली.	35
1150.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/ सी ग्यार मोटाई 0.82 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिड सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/ स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 31.444 कि.ग्रा. 3.879 लीटर 7.758 ली. 6.206 ली.	35



1	2	3	4	5	6
1151.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी आर मोटाई 0.83 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 31.244 कि. ग्रा. 3.809 लीटर 7.618 ली. 6.095 ली.	35
1152.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी आर मोटाई 0.84 एम एम के 180 ग्राम प्रति वर्ग मी., 0.40 वर्ग मी., प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मी. प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 31.047 कि. ग्रा. 3.786 लीटर 7.573 लीटर 6.058 लीटर	35
1153.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी आर मोटाई 0.85 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 30.853 कि. ग्रा. 3.742 लीटर 7.484 ली. 5.987 ली.	35
1154.	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी आर मोटाई 0.86 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 30.660 कि. ग्रा. 3.698 लीटर 7.397 लीटर 5.917 लीटर	35

1	2	3	4	5	6
1155.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिङ शीट्स/स्ट्रिप्स/कलर कोटिङ स्टील शीट आफ वाइड कायल्स सी आर मोटाई 0.87 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 30.471 कि.ग्रा. 3.656 लीटर 7.312 ली. 5.849 ली.	35
1156.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिङ शीट्स/स्ट्रिप्स/कलर कोटिङ स्टील शीट आफ वाइड कायल्स सी आर मोटाई 0.88 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 30.283 कि.ग्रा. 3.614 लीटर 7.229 ली. 5.783 ली.	35
1157.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिङ शीट्स/स्ट्रिप्स/कलर कोटिङ स्टील शीट आफ वाइड कायल्स/सी आर मोटाई 0.89 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 30.098 कि.ग्रा. 3.574 लीटर 7.148 ली. 5.718 ली.	35
1158.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिङ शीट्स/स्ट्रिप्स/कलर कोटिङ स्टील शीट आफ वाइड कायल्स/सी आर. मोटाई 0.90 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 29.915 कि.ग्रा. 3.534 लीटर 7.148 लीटर 5.718 लीटर	35

1	2	3	4	5	6
1159.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी. आर. मोटाई 0.91 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, जिक कोटिंग सहित ।	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 29.556 कि.ग्रा. 3. 495 लीटर 6.990 लीटर 5.592 लीटर	35
1160.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी. आर. मोटाई 0.92 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, जिक कोटिंग सहित ।	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स क. प्राइमर ख. टॉप कोट ग. बैकर	1. 130 मी. टन 29.205 कि.ग्रा. 3. 457 लीटर 6.914 लीटर 5.532 लीटर	35
1161	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी. आर. मोटाई 0.93 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर ऑप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 28.863 कि.ग्रा. 3. 420 लीटर 6.840 ली. 5.472 लीटर	35
1162.	कोल्ड रोल्ड, गेल्बेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी. आर. मोटाई 0.94 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित ।	1 मी. टन	1. हाई रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 28.528 कि.ग्रा. 3. 384 लीटर 6.767 ली. 5.414 ली.	35

1	2	3	4	5	6
1163.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी. ग्रा. मोटाई 0. 95 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0. 40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स : (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 28. 202 कि. ग्रा. 3. 348 लीटर 6. 696 ली. 5. 357 ली.	35
1164.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी. ग्रा. मोटाई 0. 96 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0. 40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स : (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 27. 882 कि. ग्रा. 3. 313 लीटर 6. 626 ली. 5. 301 ली.	35
1165.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी. ग्रा. मोटाई 0. 97 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0. 040 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित ।	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स : (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 27. 570 कि. ग्रा. 3. 297 लीटर 6. 558 ली. 5. 246 ली.	35
1166.	कोल्ड रोल्ड, गैल्वेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट ग्राफ वाइड कायल्स/सी. ग्रा. मोटाई 0. 98 एम एम के 180 ग्राम प्रति वर्ग मीटर, 0. 40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित ।	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स : (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 27. 265 कि. ग्रा. 3. 246 लीटर 6. 491 ली. 5. 193 ली.	35

1	2	3	4	5	6
1167	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट आफ वाइड कायल्स/सी आर मोटाई 0.99 एमएम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में की जिक कोटिंग सहित ।	1मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स : (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 26.966 कि.ग्रा. 3. 213 लीटर 6. 426 ली. 5. 140 ली.	35
1168	कोल्ड रोल्ड, गेल्वेनाइज्ड, कलर कोटिड शीट्स/स्ट्रिप्स/कलर कोटिड स्टील शीट आफ वाइड कायल्स/सी. आर मोटाई 1.00 एमएम के 180 ग्राम प्रति वर्ग मीटर, 0.40 वर्ग मीटर, प्रति 1 लीटर प्राइमर, 20 वर्ग मीटर प्रति 1 लीटर टॉप कोट के रूप में 25 वर्ग मीटर प्रति 1 लीटर बैकर के रूप में, की जिक कोटिंग सहित	1 मी. टन	1. हाट रोल्ड स्टील शीट्स/स्ट्रिप्स/वाइड कायल्स 2. जिक 3. पेंट्स : (क) प्राइमर (ख) टॉप कोट (ग) बैकर	1. 130 मी. टन 26.674 कि.ग्रा. 3. 181 लीटर 6. 361 लीटर 5. 089 लीटर	35

सार्वजनिक सूचना का अनुलग्नक

सं. 165 दिनांक 23-9-93

## चर्म उत्पाद

क्रम सं.	निर्यात की मद		आयात की मद		मूल्य संयोजन
	नाम	मात्रा	नाम	मात्रा	
1	2	3	4	5	6
53.	लेदर वेल्ड वर्क झूझ	1 जोड़ा	1. (क) सिथेटिक लाइनिंग पीवीसी/पी यू	0.12 वर्ग मी.	200
			(ख) एडहेसिवज	0.25 लीटर	
			(1) पी यू आधारित		
			(2) निथोप्रोन आधारित	0.25 लीटर	
			(ग) झू फिनिशिंग	5 ग्राम	
			(घ) झू फिनिशिंग (स्प्रे)	10 ग्राम	
			(ङ) स्टैम्पिंग फायल	6 वर्ग इंच	
			(च) सियूइस थ्रेड	70 मीटर	
			(छ) थर्मो प्लास्टिक	0.009 वर्ग मी.	

1	2	3	4	5	6
			(ज) टो कैंप्स/पप्स के लिए शीट्स		
			(झ) मोल्डिड काउन्टर (लेदर बोर्ड)	1 जोड़ा	
			(ग) रीइनफोर्समेंट (प्लाई रिब टेप) चौड़ाई 25 एमएम (इन सोल बनाने के लिए शीट)	1 मीटर 0.05 वर्ग मी.	
			(ट) (1) नेल्स/टैक्स अथवा	15 ग्राम	
			(2) शूस्टेपल्स	12 नग	
			(ठ) थर्मो प्लास्टिक सीमेंट (राँड/ग्रेन्यूल/पाली एस्टर/ पॉलीमाइड)	11 ग्राम	
			(ड) हील के साथ या उसके बिना यूनिट सोल	1 जोड़ा	
			(ढ) मिड सोल	1 जोड़ा	
			(ण) शूलेस	1 जोड़ा	
			(त) लेबल्स/लोगोस	नेट टू नेट	
			(थ) आई लेट्स	नेट टू नेट	
			(द) मेटालिक फिटिंग्स लेसिनो हुक्स/डी रिंग्स	नेट टू नेट	
			(ध) किसी भी रंग में प्लास्टिक चर्म/रबड़	1.25 मी.	
			2. (क) क्लिंकिंग बियर्ड्स	1 नग 7500 जोड़े	
			(ख) बाइंडिंग गॉज	1 नग 1000 जोड़े	
			(ग) इंडस्ट्रियल स्यूइंग मशीन नीडल्स हैमर नीडल	40 नग 1000 जोड़े 40 नग 1000 जोड़े	
			(घ) बैल/स्किविंग नाइब्ज़	1 नग 2250 जोड़े	
			(ङ) स्पिलिटिंग मशीन के लिये बैण्ड नाइब्ज़	1 नग 2250 जोड़े	
			(च) ग्राइंडिंग व्हील्स	2 नग 1000 जोड़े	
			(छ) फीड रोलर्स	1 नग 1000 जोड़े	
			(ज) विभिन्न डिजाइनों के कटिंग डाइज़ के सेट	1 नग 1000 जोड़े	
			(झ) सिल्वर मार्किंग पेन्सिल पेन/रिफिल	1 नग 1000 जोड़े	
			(ञ) अत्रेसिव पेपर/रमीयर पेपर बेल्ट्स/कप शोप्स	1 वर्ग मी. 150 जोड़े	
			(ट) सभी टाइप के ब्रश	2 पैकेट 1000 जोड़े	
			(ठ) सी स्पोंज	2 पैकेट 1000 जोड़े	
			(ड) प्लास्टिक शू लास्ट	4 नग 1000 जोड़े	
			(ढ) हीटिंग एलीमेंट्स	1 नग 1000 जोड़े	

1	2	3	4	5	6	7
			(ण) फुटबियर बनाने के लिए कटर्स और ट्रिमर्स (सभी टाइप)	1 नग 500 जोड़े		
परिष्कृत चर्म 1000 वर्ग फुट		3. (क) प्रीजरबेटिक्स (ख) बाइटिंग एजेंट्स (ग) सोडियम बाइसल्फाइट (घ) सिन्टेन्स (ङ) सोडियम फॉर्मेट/एसीटेट (च) फार्मिक एसिड (छ) बैटल एक्सट्रैक्ट (1) रीटैनिंग के लिए (2) चर्म के बैजीटेवल रीटैनिंग के लिए (ज) फाँट लिकर (झ) बाइंडर (1) रेजिन (2) कैसिन बेस सेमी क्रोम या क्रोम फिनिश फूल के लिए (ञ) क्रोम टेनिंग एजेंट (एक्सट्रैक्ट) (ट) लैकर इमल्शन (ठ) डाइज (ड) पिगमेंट्स (ढ) बोरेक्स (ण) इमप्रेग्नेटिंग रेजिन (त) वैक्स इमल्शन (थ) ऑक्जलिक एसिड (द) एसीटिक एसिड (ध) सोडियम थियोसल्फेट (न) पेनीट्रेटिंग एजेंट (प) स्लिप एजेंट (सिलिकॉन बेस्ड ग्रायल)		1. 5 कि. ग्रा. 4. 6 कि. ग्रा. 2. 5 कि. ग्रा. 17 कि. ग्रा. 4. 6 कि. ग्रा. 9 कि. ग्रा. 12 कि. ग्रा. 36 कि. ग्रा. 20 कि. ग्रा. 4 कि. ग्रा. 6 कि. ग्रा. 4 कि. ग्रा. 46 कि. ग्रा. 7 कि. ग्रा. 4 कि. ग्रा. 2 कि. ग्रा. 4. 6 कि. ग्रा. 5 कि. ग्रा. 1 कि. ग्रा. 1 कि. ग्रा. 2. 5 कि. ग्रा. 4. 6 कि. ग्रा. 2 कि. ग्रा. 0. 40 कि. ग्रा.		

टिप्पणी : रसायनों की आवश्यकता के लिए (मद सं. 3) प्रति जोड़ा चमड़े के 2.5 वर्ग फुट मानदण्ड पर विचार किया जा सकता है। क्रम सं. 2 पर की मद का आयात-निर्यात के पोत पर्यन्त निःशुल्क मूल्य का 3 % तक होगा, मद सं. 1 का आयात निर्यात के पोत पर्यन्त निःशुल्क मूल्य का 25 % तक होगा और मद सं. 3 का आयात-निर्यात के पोत पर्यन्त निःशुल्क मूल्य का 12 % तक होगा। मद सं. 1, 2 और 3 के लागत बीमा भाड़ा मूल्य में अन्तरपरिवर्तनीय अनुमेय नहीं है।

## सार्वजनिक सूचना का अनुलग्नक "छ"

सं. 165 दिनांक 23-9-1993

(1)	(2)	(3)	(4)	(5)	(6)
			प्लास्टिक		
159.	प्लास्टिक हॉलो कोसग्रेटिड बोर्ड	1 कि. ग्रा.	1. पाली प्रापीलीन (बीओ- पालीमार 2. स्टेबालाइजर 3. पिगमेंट्स	1. 05 कि. ग्रा. 0. 005 कि. ग्रा. 0. 003 कि. ग्रा.	

1	2	3	4	5	6
160.	बी बी पी पी फिल्म रिफ्लेक्टिव पेपर 30 माइक्रोन से 175 माइक्रोन	1 कि. ग्रा.	1. फास्फोप्रापीलीन रेजिन	1. 20 कि. ग्रा.	
161.	टूथ ब्रश	1 कि. ग्रा.	1. पालीमर नामशः एस ए एन/ सेलोलूज एसिटेट/ग्रेन्यूल्स 2. नायलोन मोनोफिलामेंट 3. ब्रिकेस वायर	निर्यात में प्रति कि. ग्रा. 10.5 कि. ग्रा. कन्टेन्ट निर्यात में प्रति कि. ग्रा. 1.10 कि. ग्रा. कन्टेन्ट निर्यात में प्रति कि. ग्रा. 10.1 कि. ग्रा. कन्टेन्ट	
162.	कंक्रीट स्लीपर के लिए ई बी ए में से निर्मित रेल पैड्स	1 कि. ग्रा.	1. ई बी ए मोल्डिंग पाउडर 2. कार्बन ब्लैक	1. 0.25 कि. ग्रा. 0.025 कि. ग्रा.	
163.	पैन-पार्ट्स (नामशः) मेटल रिफिल	1000 नग	1. ब्रास ट्यूब ब्रास स्क्रेप या कापर ट्यूब कापर स्क्रेप 2. निकेल सिल्वर/वायर ब्रास/ वायर एस एस वायर/स्क्रेप 3. स्टेनलेस स्टील बाल्स/ टंगस्टन कार्बाइड बाल सेरेमिक बाल 4. ग्लास फिलर प्लास्टिक पाउडर 5. रिफिल इंक 6. (1) ग्लायकोल (2) कीटोनिक रेजिन (3) पिगमेंट (4) इंक के लिए ड्राई स्टफ	निर्यात में प्रति कि. ग्रा. 1.85 कि. ग्रा. कन्टेन्ट निर्यात में 1.05 कि. ग्रा. कन्टेन्ट 1020 नग प्रति 1000 रिफिल निर्यात में प्रति कि. ग्रा. 1.05 कि. ग्रा. कन्टेन्ट निर्यात में प्रति कि. ग्रा. 1.05 कि. ग्रा. कन्टेन्ट निर्यात प्रति कि. ग्रा. 1 0.40 कि. ग्रा. इंक वजन 0.45 तदैव 0.05 तदैव 0.10 तदैव	60 %
164.	पी बी सी फुटब्रियर	1 एम टी	1. पी बी सी रेजिन 2. स्टेबिलाइजर (डीओपी) 3. स्टेबिलाइजर (बा-सी डी जेड एन) 4. एन्टीमनी ट्रायक्साइड 5. पिगमेंट्स 6. सोलबेन्ट्स (एम इ के/ एक्सलीन) विविध	0.5329 एम टी 0.3997 एम टी 0.0159 एम टी 0.014 एम टी 0.008 एम टी 0.0015 एम टी	
33.	फैक्स पेपर फायलस (थर्मल पेपर)	1 वर्ग मीटर	1. थर्मल पेपर के जम्बो-रोल्स	1. 05 वर्ग मीटर	
34.	कोसेस नोमेटिड कार्टन (पेस्टिंग गोंद और स्टिचिंग वायर के वजन सहित)	1 कि. ग्रा.	2. 125 जी एस एम का क्राफ्ट	0.88 कि. ग्रा.	



**MINISTRY OF COMMERCE**  
**PUBLIC NOTICE NO. 165(PN)/92-97**

New Delhi, the 23rd Sept. 1993.

**Subject.**—Handbook of Procedures, Vol. III 1992-97 Input-Output, value Addition Norms and details of sensitive items.

F.No. 6/36/92-EPC.—Attention is invited to Handbook of procedures, 1992-93, Volume II, Published under Public Notice No. 121(PN)/92-97 dated 31-3-1993 on the above mentioned subject.

2. In the statement of Standard Input-Output and value Addition Norms, (i) Corrections at the appropriate places as mentioned in Annexure 'A', (ii) Amendments at appropriate places as mentioned in Annexure 'B' to this Public Notice shall be made.

3. In the statement of Standard Input-Output and value Addition norms and sensitive items, following additions shall be made at appropriate places as mentioned below :

**CHEMICALS AND ALLIED PRODUCTS**

(1) After Entry No. 1034, the new entries from Sl. No. 1035 to 1081 shall be added as per Annexure 'C' to this Public Notice.

**ELECTRONICS**

(2) After Entry No. 250, the new entries shall be added from Sl. No. 251 to 261 as per Annexure 'D' to this Public Notice.

**ENGINEERING PRODUCTS**

(3) After Entry No. 816, the new entries shall be added from Sl. No. 817 to 1169 as per Annexure 'E' to this Public Notice.

**LEATHER PRODUCTS**

(4) After Entry No. 52, the new entry shall be added at Sl. No. 53 as per Annexure 'F' to this Public Notice.

**PLASTICS**

(5) After Entry No. 158, the new entries shall be added from Sl. Nos. 159 to 164 as per Annexure 'G' to this Public Notice.

**MISCELLANEOUS**

(6) After Entry No. 32, the new entries shall be added at Sl. No. 33 to 34 as per Annexure 'G' to this Notice.

(Dr. P. L. Sanjeev Reddy) Director General of Foreign Trade  
**ANNEXURE 'A' TO**

Public Notice No. 165

Dated 23-9-83

**ELECTRONICS**

Sl. Page No. No.	Sl. No. of Export product	Corrections
1. 111-112	10	(i) In Item No. 1(i) the word "Screen" shall be corrected to read as "Screw". (ii) In Item No. 2(b) (i), the figures "3135" shall be corrected to read as "0:35". (iii) In Item No. 2 (e) (i) the letters "EC" shall be corrected to read as "GC"
2. 131	84	The quantity of export shall be corrected to read as 100 Nos.

3. 132	86	Against Item No. 1, the quantity of import shall be corrected to read as 110 feet instead of 11 Ft.
4. 173—174	167	(i) In item No. 2, the Item "Cyclohexange" shall be corrected to read as "Cyclohexanone". (ii) In Item 16, the item of import with quantity shall be corrected to read as "splicing Tape-10.40 meters". (iii) In Item No. 23, the word "Lubs" shall be corrected to read as "Hubs".
5. 198	195	In Item No. 4, the word "Fuss" shall be corrected to read as "Fuses".

## ENGINEERING

6. 288	277	In note 1, below this Sl. No. the 1st sentence shall be corrected to read as under : "1. The value of import of items at Sl. Nos. 1, 2, 3, 4(a) 4(b) shall not exceed 57%, 10%, 28%, 2.5% & 2.5% respectively.
7. 315	306	A Qty. of "25 Kgs." shall be added against item No. 3 in this Sl. No.

ANNEXURE 'B' To  
Public Notice No. 165  
Dated. 23-9-93

## CHEMICALS

Sl. No.	Page No.	Sl. No. of the Export Product.	Amendments
1	2	3	4
1. 79		729	The description of the export product shall be amended to read as under : "Synthetic Enamel white/colour paints" (minimum 28% pigment content)"
ELECTRONICS			
2. 112		11	Against Item No. 9 the quantity of import shall be amended to read as 220 Nos.
3. 146		109	The description of item of export shall be amended to read as under: "Audio Magnetic Head (Erase).
4. 148		112	The description of the item of export shall be amended to read under : "Silicon Semi Conductor Transisters", (Metal Can Power)
5. 149		115	(i) The item (i) of import shall be amended to read as "Metallised Polyester film". (ii) The quantity of import against Sl. No. 1(f) shall be amended to read as "6,000 gas".

1	2	3	4
6. 161	132	The description of the item of export shall be amended to read as under : “Silicon semi-conductor transistor (Plastic small signal)”.	
7. 191	188	The item No. 2 shall be amended to read as under : “Electronic components such as resistors capacitors, inductors chokes, coils, and copper clad laminates”.	
8. 198	195	The item No. 2 shall be amended to read as under : “Electronics components such as resistors capacitors, inductors chokes, coils and copper clad laminates”.	
9. 202	198	The item No. 2 shall be amended to read as under : “Electronics components such as resistors, capacitors, inductors, chokes, coils and copper clad laminates”.	
10. 204	201	The item No. 2 shall be amended to read as under : “Electronics components such as resistors, capacitors, inductors, chokes, coils and copper clad laminates.”	
11. 205	202	The item No. 2 shall be amended to read as under : “Electronics components such as resistors, capacitors, inductors, chokes, coils and copper clad laminates”.	
12. 235	229	The description of the export product shall be amended to read as under :  (“Audio Magnetic Head”)	
ENGINEERING			
13. 364	735	The description of the export product shall be amended to read as “copper flats/sheets/strips”.	
14. 290—310	279 to 314 & 317 to 370	These entries with all details shall be deleted.	
15. 365	793	The description of the export product shall be amended to read as under : “Brass Strips for Electrical/Electronics/Telecommunication/Defence Application and Radiators for Automobile Application.”	
16. 365	794	The description of the export product shall be amended to read as under :  “Brass Blanks/Brass case Blanks for Defence application”.	
PLASTICS			

Sl. No.	Page No.	Sl. No. of Export product	Amendment
1	2	3	4
17. 425		13	The description of the export product shall be amended to read as under : “80 PP self adhesive tapes/jumbo rolls”.
18. 436		75	In the description of the export product the words “(foot wear)” shall be deleted.
19. 429—430		36	Entry No. 36 under this product group shall be revised as under :

Sl. Name of Export Product No.	Qty.	Item of import	Qty.	Value Addition
36. Plastic Body Ballpens & parts thereof including Riffls.	100 pieces	1. Ballpen Tips OR (a) Nickle silver wire/ Brass Scrcap/SS wire  (b) SS Balls/Tungsten carbide Ball/Ceramic Ball.  2. Writing Ink OR (a) Ketonic Resin/ Synthetic Resign  (b) Glycol  (c) Dyestuff for Ink.  3. Moulding powder (PE/PS/PP) & ABS Moulding Powder.	102 pieces  1.075 kgs. per kg. content in export product.  102 balls per 100 Balls of Relevant Material used.  33.6 gms.  0.40 kg. per kg. weight of ink in export product.  0.40 in kg.per kg. weight of Ink export product.  0.10 kg. per kg. weight of Ink in export product.  1.05 kg. per kg. of specific material content in export.	60

Note.—Export Product shall also indicate the specific weight of Moulding Powders.

(1)	(2)	(3)	(4)
20	427	18	Entry No. 18 under this product groups shall be revised as under :

Sl. Item of Export No.	Quantity of export	Item of Import	Qty. of Import	Value addition
1	2	4	5	6
18. Fibre Tip Colour Pen (Sketch Pens/Marker)	100 pcs.	(1) Accetate Tow/Poly- ester Tow/Polyester Top/Polyester Fibre as are relevant to the export product (for synthetic Fitters).  (2) Nylon Yarn/Hydro Carbon Tips/Polyacetal Tips/Polyester Tips.  (3) Polypropylene/HDPE/ LDPE/ABS/Polyesterene/ PVC compound OR Plastic Extruded/mould- ed components.	1.05 kg/kg. content in export.  102 pcs.  1.05 kg/kg. content in export.  102 pcs.	60%

1	2	3	4	5
			(4) Printing Ink OR	1.05 kg./kg. content in export.
			4. (a) Ketonic/Synthetic Resin	0.40 kg./kg. wt. of Ink in export.
			(b) Glycol	0.40 kg./kg. wt. of Ink in export.
			(c) Dye stuff	0.10 kg./kg. wt. of Ink in Export.
TEXTILES				
21.	442	16	The quantity of imports against this Sl. No. shall be amended to read as "1.10 kg."	
22.	442	17	The quantity of import against this Sl. No. shall be amended to read as "1.22 kg."	
23.	443	25	The quantity of item of import against this Sl. No. shall be amended to read as "1.20 kg."	

## CHEMICAL &amp; ALLIED PRODUCTS

Annexure—'C' to  
Public Notice No. 165  
Dated 23-9-93.

Export Item			Import Item		
Sl. Name No.	Qty.		Name	Qty. allowed	Value addition
1	2	3	4	5	6
1035 Silicon Rubber Key pads	100 kgs.		(1) Silicon Rubber (2) Conductive Ink. (3) Catalyst/curing agents for silicon Rubber.	97 kg. 7 kg. 1 kg.	
1036 Trichloroethylene	1 Mt.		Calcium Carbide	0.536 Mt.	
1037 Dibutyl Maleate (DBN)	1 Kg.		1. Maleic anhydride 2. N-Butanol	0.450 kg. 0.681 kg.	
1038 Direct Fast Yellow 6 GS Microfine (C.I. No. 13920)	1 Kg.		1. Dehydro-thiopara toluidine suphonic acid 100% 2. Aceto Acetanilide 100% 3. Sodium Nitrite	0.368 kg.  0.225 kg. 0.082 kg.	
1039 Ortho and Para Nitro Toluene.	1 Kg.		1. Toluene	8.745 kg.	
1040 Ortho chlore Para Nitro Aniline (Mid. 99% Dry powder).	1 kg.		(1) 3, D-4-Di,Chloro Nitro-benzenes.	1.144 kgs.	
1041 Camphor USP	1 kg.		1. Gum Turpentine	1.322 kgs.	
1042. Wiredrawing powder (cal- cium/sodium stearate based) fatty acid content 40%	1 kg.		1. Palm oil/palm stearine (Hydrogenated) industrial grade.	0.4. kg.	

1	2	3	4	5
1043. Wiredrawing powder (calcium/ sodium teartate based) fatty acid content 46%	1 kg.	1. Palam oil/palm stearine (Hydrogenated. industrial grade.	0.46 kg.	
1044. Wiredrawing chemical (Sodium stearate based) fatty acid content 75%	1 kg.	1. Stearic acid	0.75 kg.	
1045. Wiredrawing chemical (sodium & potassium stearate based) fatty acid content 35%,	1 kg.	1. Stearic acid.	0.35 kg.	
Ntoe.—In respect of above norms in Sl. Nos. 1042 to 1045 a condition may be imposed on the licensees that Fatty acid content should be reflected in the export product description.				
1046. Detonating fun (10 gms)	1000 mtrs	1. Pentaerythritol (Nitraltion grade)	5.13 kg.	
		2. Conc. Nitric acid	23.60 kg.	
		3. Collophane Film	0.77 kg.	
		4. Acetone	4.62 kg.	
		5. PVC Resin	4.91 kgs.	
		6. Phthalate Plasticizers	2.46 kg.	
		7. Polypropylene Yarn	3.68 kg.	
1047. Detonating fuses (40 gms)	1000 mtrs.	1. Pentarythritol (Nitration grade)	20.25 kgs.	
		2. Conc. Nitric acid.	93.2 kg.	
		3. Collecphane Film	1.87 kgs.	
		4. Acetone	18.48 kg.	
		5. PVC Resin	13.55 kg.	
		6. Phthalate Plasticizers.	6.77 kg.	
		7. Polypropylene yarn	7.51 Kg.	
1048. Superglonickel Salt.	1, kg.	1. Nickel Metal in the form of Briquettes.	0.225 kg.	
1049. Pearlsheen nickel salt.	1 K.g	Nickel Metal in the from of Briquettes.	0.225 kg.	
1050. Nickel Sulphate	1 kg.	1. Nickel Metal in the from of Briquettes.	0.225 kg.	
1051. Sodium Nitrite (Caustic soda Route)	1 Mt	1/ Caustic Soda (dry basis)	640 kgs.	
		2. Ammonia	270 kgs.	
		3. Catalyst :		
		(a) Platinum	0.126 gm.	
		(b) Rhodium	0.006 gm.	
1052. Sodium Nitrite (Soda Ash route)	1 Mt.	Z. Soda Ash	861 kgs.	
		2. Ammonia	276 kgs.	
		3. Catalyst :		
		(a) Platinum	0.126 gm.	
		(b) Rhodium	0.006 gm.	
1053. Parachlore Be-nyzyl Cyanide	1 kg.	1. Parachlore toluene	1.17 kg.	
		2. Sodium Cyanide	0.78 kg.	
1054. Isopropyl Bromine		1. Isopropyl Alcohol	0.162 kg.	
		2. Bromine liquid	0.84 kg.	

1	2	3	4	5	6
1055. Meta Phenexy Benzaldehyde		1. Benzaldehyde 2. Bromine 3. MEG	0.8 kg. 0.38 kg. 0.31 kg.		
1056. Naphthalene Sulphonate Formaldehyde Condensates (80%)	1000 kg.	1. Napthalene crude 2. Formaldehyde 3. Caustic Soda	477 kg. 51 kg. 84.5 kg.		
1057. Parahydroxy phenyl Aceta - mide.	1 kg.	1. Parachlere Toluene 2. Sodium Cyanide	3.08 kg. 0.93 kg.		
1058 Mascara	100 kg.	1. Waxes (bees/carnuba/etc.. (Carnuba wax shall be limited to 3.15 kg.) 2. Stearic Acid Tripple pressed/ glyceryol monestearate/- Isopropyl myristate). 3. Solvent (propylene glycol) 4. Emulsifier (Triethanel amine) 5. C rbon Black 6. Plastic components/parts.	9.45 kgs. 15.75 kgs. 3.15 kgs. 9.45 kgs. Net to net.		
		OR			
		HDPE/Polypropylene/Aps moulding powder.	1.05 kg/kg content in export.		
		7. Nylon Bristles	Net to net.		
1059. Lipstickes	100 kg.	1. Waxes (Carnuba/paraffin/- candillila, bees, etc.,) (Carnuba wax may be limited to 9.5 kgs.) 2. Colcur pigments 3. Fillers viz. Titanium Dioxide. 4. Other raw materials viz. lana- lin/petroleum Jelly/caster oil. 5. Natural Essential Oils/Arom- atic Chemicals. 6. Plastic moulded compo- nents/parts. 7. HDPE/Polypropylene/ABS Moulning powder.	26.5 kgs. 10.5 kgs. 5.25 kgs. 49.35 Kgs. 0.7 kgs. Net to net. 1.05 kg. per content in ex- port.		
1060. Moulded/Exruded/metal banded rubber parts.	1 Mt.	1. Mild steel/sheet/coils/plates/ rods rounds/tubes/strips) 2. Natural rubber/SBR 1712/ 1502 grades. 3. Carbon black 4. Rubber Chemicals	0.4 Mt. 0.5 Mt. 0.11 Mt. 0.02 Mt. (but of 0.02 Mt. of rubber chemicals, the anti -orixdaent should not ex- ceed more than 50%).	60%	



1	2	3	4	5	6
			5. Bending agent	0.012% of Rubber Chemicals allowed for import.	
			6. Silicon oil	0.02 MT.	
1061 Talcom Powder	1 kg.	1. (a) Boric Acid BP Grade. (b) Zinc oxide 0.157 kg BP grade. (c) Zinc Stearate BP grade. (d) Kaoline BP Grade	0.157 kg. 0.157 kg. 105 kg. 105 kg.	CIF value to be limited to 10% of fob value of export	
		2. Relevant Perfumes	0.052 kg. 0.007 kg.	(CIF value limited to 6% of fob value).	
		3. Containers of plastic	net to net		
		OR			
		3(a) Polypropylene/Polystyrene/LDPE/HDPE	1.05 kg/kg. content in export packing		
		(b) Colour master batch for containers.	1.025 kg/kg content in export.		
		4. Art paper/craft paper	As per packing policy.		
		*5. Artificial fur lining for powder puff.	0.018 Sq. Mtr. linings or puff of 5 gms per box.		

\*This item shall be allowed only if the requirement is reflected in the export order and accounted for in shipping documents.

Sl. No.	Export Item		Import Item		Value Addition
	Name	Qty.	Name	Qty.	
1	2	3	4	5	6
1062.	Resorcinol	1 kg.	1. Benzene 2. Caustic Soda Flakes. 3. Soda Ash	1.00 kg. 1.60 kg. 1.00 kg.	
1063.	Tetra Butyl Ammonium Hydrogen Sulphate	1 kg.	1. N-Butanol 2. Tributyl amine 3. Liquid bromide 4. Diethyl Sulphate 5. Methyl Isobutyl Ketone	0.720 kg. 1.45 kg. 1.00 kg. 0.620 kg. 0.500 kg.	
1064.	2, Mercapto benzo thiazole (Minimum 94%)	1 kg.	1. Aniline 2. Carbondisulphide 3. Sulphur 4. Caustic Soda lye	0.67 kg. 0.65 kg. 0.26 kg. 0.29 kg.	



1	2	3	4	5	6
1065. Dibenzo thiazyl disulphide (Minimum 95%)	1 kg.	1. Aniline 2. Carbondisulphide 3. Sulphur 4. Caustic soda lye	0.687 kg. 0.655 kg. 0.26 kg. 0.30 kg.		
1066. Rubber chemical Accelerator (containing 73% Dibenze thiazole disulfide and 15% Diphenyl guanidine)	1 kg.	1. Aniline 2. Carbondisulphide 3. Sulphur 4 Diphenyl guanidine 5. Caustic soda lye	0.49 kg. 0.48 kg. 0.2 kg. 0.15 kg. 0.21 kg.		
1067. Amino Modified Polysiloxane fluid (Amine value Min. 38%)	1 kg	1. Octa methyl cyclo Tetra Siloxane (OMCTS) 2. N-2 (Aminoethyl 3 amino propyl Methyl dimethoxy Silane)	1.2 kgs. 0.1 kg.		
1068. Isonicotinic Acid	1 kg.	1. 4 Cyano pyridine	0.98 kg.		
1069. N-(Cydohexyl thio) phthali- mide (Min. 95%)	1 kg.	1. Phthalic Anhydride 2. Cyclohexyl mercapta mercaptan.	0.66 kg. 0.49 kg.		
1070. N-Isopropyl-N-Phenyl Para phenylane diamine (Min. 95%)	1 kg.	1. Aniline 2. Paranitrochloro benzene 3. Formic acid 4. Acetone	0.53 kg. 0.875 kg. 0.425 kg. 0.525 kg.		
1071. N-Cyclohexyl 2 benzothia- zole sulphenamide (Minimum 95%)	1 kg.	1. Aniline 2. Carbondisulphide 3. Sulphur 4. Caustic soda lye 5. Cyclohexylamine	0.51 kg. 0.49 kg. 0.2 kg. 0.23 kg. 0.425 kg.		
1072. 2, (Morpholinothio) benzothia- zole (Minimum 96%)	1 kg.	1. Aniline 2. Morpholine 3. Carbondisulphide 4. Sulphur 5. Caustic soda lye	0.543 kg. 0.42 kg. 0.52 kg. 0.2 kg. 0.28 kg.		
1073. Zinc Diethyl Di-thiocarbamate (active content 94%)	1 kg.	1. Diethylamine 2. Carbondisulphide 3. Caustic soda Flakes 4. Zinc chloride 40%	0.428 kg. 0.495 kg. 0.244 kg. 0.92 kg.		
1074. Zinc salt of 2 mercapto benze- thiazole (Active content 93%)	1 kg.	1. Aniline 2. Zinc chloride 40% 3. Ammonia 4. Carbondisulphide 5. Sulphur 6. Caustic Soda lye	0.527 kg. 0.897 kg. 0.032 kg. 0.51 kg. 0.203 kg. 0.235 kg.		
1075. Tetra methyl thiouram di- sulphide M.P. above 142°C	1 kg.	1. Dimethyl amine (60%) 2. Carbondisulphide 3. Caustic soda flakes	1.1 kgs. 0.76 kg. 0.40 kg.		

1	2	3	4	5	6
1076. N (1,3 Diemethyl Butyl) N' phenyl-P phenylenediamine (Minimum 95%)	1 kg.	1. Aniline 2. MIBK (Methyl Isobutyle ketone) 3. Para nitrochloro Benzene 4. Fromic acid	0.448 kg. 0.431 kg. 0.732 kg. 0.343 kg.		
1077. Mixed diaryl para phenylene diamine (Minimum content 80%)	1 kg.	1. Aniline 2. Hydroquinone 3. Ortho Toluidine.	0.41 kg. 0.45 kg. 0.42 kg.		
1078. Polymer of 1,2 dihydro-2, 2, 4-trimethyl quinolene	1 kg.	1. Aniline 2. Acetone	0.6 kg. 0.709 kg.		
1079 Opal glassware and Kitchen-ware	1 kg.	1. Quartz sand 2. Borax pentahydrate 3. Acid grade flourspar 4. Aluminium hydrate 5. Sodium silico-floride 6. Soda Ash 7. Zinc oxide 8. Barium carbonate 9. Magnesium carbonate 10. Sodium nitrate 11. Neodium oxide 12. Decalcomania transfer paper 13. Furnace oil /LSHS/LDO (To be allowed only against Advance Release order)	0.445 kg. .338 kg. .17 kg. .040 kg. 0.100 kg. 0.012 kg. 0.012 kg. 0.013 kg. 0.01 kg. 0.001 kg. 0.011 kg. 0.116 sq. mtr. 1.0 kg.		
1080. Asbestos Corrugated sheets and accessories	1 Mt.	1. Raw Asbestos 2. Soft wood Rraft pulp 3. Fortland Cement 4. Consumables	78.56 kgs. 9.78 ks. 100 kgs. 2.5% of FOB value of export.		
1081. Ambrette		1. Trimethyl Orthoformate 2. Oritol (Paraffinic Mineral Oil)	3 kgs. 1.02 kgs.		

Annexure 'D' to Public  
Notice No. 165/  
(PN)/92—97  
Dated 23-9-93

## ELECTRONICS

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty. allowed.	Value addition
1	2	3	4	5	6
251.	Electronic Digital Multimeters	100 Nos.	PTC Thermister cermet potent ionmeter, capacitor, Al, electrolytic Capacitor, Tantalum Capacitor, Polyster Capacitor, WPF Capacitor, Cermmic, diode Transistor electronic micro circuit connector PET, Silicon Rubber Connector, LCD Display/LED display, PCB Double sided PTH, Manganin wire, Metal film resistor, carbon film resistor, Metaloxide Resistor, Fuse, plastic moulded parts, switches, pressed Metal Parts, Turned Metal Parts, Sticker overlaw, double sided Adhesive Tape 100 Mtr.		Net to net + 2% wastage.
252.	Digital Clamp on Ammeter Tongtester	100 Nos.	PTC thermistor, Resistor network, Metal Film resistor, Electrolytic capacitor, Tantalum Capacitor, Mylar capacitor, Metalized film Capacitor, Ceramic capacitor diode, Transistor electronic Micro Circuit, IC Socket, Silicon Rubber Connector, Battery Contact Snap, LCD Display, PCB Double Sided PTH, Key Switch, Turned Metal Part, Clamp Assembly, spring, Plastic moulded part, Pressed Metal Parts, Potentiometers, Prizo electric element, Overlays, Double sided Adhesive Tape 100 mtr.		Net to net + 2% wastage.
253.	Digital Panel Meter/Moduls for Voltage, Current.	100 Nos.	Carbon film Resistor, Metal Film Resistor, Metalized Plastic, Film capacitor, Ceramic Capacitor Tantalum Capacitor Al. Electrolytic capacitor electro-		Net to net + 2% wastage.

1	2	3	4	5	6
			nic Micro circuit, Transistor, Bridge rectifier, diode, cermet Potentiometer, PCB Double sided PTH, IC socket/holder, connector, LED Display/LCD Display Plastic Moulded part, double, sided adhesive tape —50 Mtr Peizo Electric Crystal, surge Arrestors/supproser.	Net to net +2% Wastage	
254. Electronic Insulation Tester	100 nos.	PTC thermister, cermet potentiometer, Al. electrolytic Capacitor, Tan Alum Capacitor, Polyester Capacitor, MPF Capacitor, Ceramic Capacitor, Diode, Transistor, Electronic Micro Circuit, Connector, Silicon Rubber connector, LCD display, PCB double sided PTH, switches, plastic moulded parts, pressed metal parts, turned metal parts, sticker overlay, peizo electric crystal, double sided adhesive tape.		Net to Net +2% wastage	100 mtr.
255. Digital Panel Meter for Frequency measurement	100 Nos.	Carbon film resistor, metal film Resistor, Plastic film capacitor, ceramic Capacitor, Tantalum Capacitor, Al. Electrolytic Capacitor electronic Micro Circuit, Transistor, Bridge Rectifier, Diode, Cermet Potentiometer, PCB double, Sided PTH, IC Socket/Holder connector, LED display, Plastic moulded parts, double sided adhesive —50 Mtr. TapePeizo electric crystal, surge Arrestors/supproser		2 % wastage. Net to Net +	
256. Electronic Transducers for voltage, Current, Frequency, Vatts, Var, Power Factor, Temperature, Measurement	100 Nos.	PTC thermister cermet potentiometer Al. Electrolytic Capacitor Tantalum capacitor Plastic film capacitor metalifized plastic film capacitor Ceramic Capacitor Diode, Transistor, Electronic Micro circuit Conectors IC Socket double sided PTH PCB Metal film Resistor Carbon Film Resistor, Metal Oxide resistor, photo-opto couper, plastic moulded Parts switches, pressed metal parts, turned Metal Parts screws, stiker overlay, surge arrestois/ Supprsrer.		Net to Net + 2% wastage	

1	2	3	4	5	6
257. Oscilloscopes	1	Any and/or all following categories which are actually required in export product:			
258. Electronic Balances Weighing Systems	1	1. Semeconductor devices including transistors, diodes, opto couplers CCDS, all Type of Integrated circuits, micro circuits, all types of modules etc.			
259. Colorimeter	1	2. All type of electronic components inculding resistors, capacitors, inductors, chokes. transformers etc.			
260. Speach Trainers		3. Oscillator crystals, potentiometers, fuses, snubber components, filter , buzzer ferrites etc.			
		4. Cables/wires connectors, probes, sockets and assembly thereof including for fibre optic application 5 PCBs (Populated/Unpopulated)			
		6. Mechanical Parts/assemblies including metal, plastic, fabricated, moulded, parts, heatsinks, busbars, carpracks and other hardware etc.			
		7. All types of displays including CRT Plasma, LED, LCD, Deflection components & EHT etc.			
		8. Electro mechanical parts such as relays including solid state relays, reed relays etc. switches, solenoids, diaphragm components, micro phones, stepper motor, micro motors, instrument fans etc.			
		9. Batteries all types			
		10. Surge Arresters such as MOV ,Clip cells, RC net works.			
		11. Key switches			
		12. Sensors, transducers, electrodes, antennas.			
		13. Microwave components such as attenuaters wave guides, pin diodes, couplers etc.			

1	2	3	4	5	6
			14. Optical components such as lenses etc.	Net +2% Wastage	
			15. Peripherals such as printers, disk drivers, plotters, key-boards, monitors including consumables.	Net +2% Wastage	
			16. Software	Net +2% Wastage	
			17. Light sources such as infrared ultraviolet laser X-rays and other with associated electronics.	Net +2% Wastage	
			18. Cleaning chemicals Epoxy resins/hardeners, solder etc.	Net +2% Wastage	
			19. Trimmers	Net +2% wastage	
			20. NTC/PTC ceramic components.	Net +2% Wastage	
			21. Rubber connectors, delay lines.	Net +2% Wastage	
			22. Neon lamps, back lighting lamps.	Net +2% Wastage	
			23. Key pads.	Net 2 + % Wastage	
			24. Bread strips/labels.	Net +2% Wastage	
261. Coils, Transformers, Inductors.. 100 Nos.		1. Formers, bases, bobbins, holders, brackets, shielding cases, cans.	105 pairs.		
		2. Ferrites or Ferrite magnet all types.	105 pairs		
		3. Copper winding wire coated or uncoated.	1.7 kgs.		
		4. Kynar, tefzel, teflon, coated, wires/cables.	367.5 mtrs.		
		5. Silicone based resins, oils, varnishes, lacquers, elastomers with or without additives.	0.5 kgs.		
		6. Epoxy/epoxide resins/com-pounds or encapsulants fillers, thinners, hardners, accelera-tors, fire retardants.	0.5 kgs.		
		7. Insulating tubing/taping material in tape, roll or strip with or without adhesives.	30 mtrs.		
		8. Special Marking inks.	0.20 kgs.		

Annexure E to Public  
Notice No. 165  
dated 23-9-93.

Sl. No.	Export Item Name	Qty.	Import Item Name	Qty.	Value Addition
1	2	3	4	4	5
<b>ENGINEERING</b>					
817.	Stainless Steel Harrisons Lantern-	1 No.	1. Tinplate Waste.	1. 18 kg. per kg. content in export.	
818.	Stainless Steel FJ-500 Food jar with polyophylene cut & seppor	1 kg.	1. Stainless steel sheet. 2. Polypropylene 3. Silicon rubber for 'O' ring 4. Natural rubber 5. Printed carten boxes.	0.89 Kg. 0.081 Kg. 0.015 kg. 0.011 kg. Net to net.	
819.	Submersible water pump set i.e. pumps, motors, Pumpsets & Accessories there of such as cable. control panels & pipes (capacity upto 7.5 HP)	1 Set.	(a) Copper Rod/Winding wire OR Copper wire Bar. (b) Bronze Metal (c) Pig Iron (d) CRNGO steel/Sheet/ (e) Coil /Strip (e) ERWSS Tube/Rods Grade AISI 304/316/431 (f) Rubber/Plastic Parts OR F.(i) Synthetics Rubber  (ii) LDPE Moulding Powder (iii) HDPE Moulding Powder. (iv) PP Moulding Powder (v) AB Molding Powder	5.1 Kg.  2.5 Kg. 34. Kg. 31. kg. 14 Kg. Net to Net 1.05 Kg./Kg. content in export.  —do— -do- -do- -do-	65 %
820.	Tips for Ball Pen Refills of relevant materials of Balls	10 lakh Nos.	1. Brass Scrap  2. Stainless Steel Balls/Ceramic Balls/Tunsten Carbide balls.	1.075 kg./Kg. content in export  10,20,000 nos.	60 %
821.	Jotter Ball Point Pen.	1000 pes.	(1) S.S. Strips/sheets/coils.  (2) S.S. Wire/Nickel silver wire/ Brass ware	1.05 kg/kg content in export.  1.05 kg/kg. content of relevant materials in export.	

1	2	3	4	5	6
		(3) S.S. Balls/Tungston Carbide Ceramic Balls		1020 No. relevant in export	
		(4) ABS Powder		1.05 kg/kg. content in export.	
		(5) Brass Tube/Rod/Strip/Scrap/		1.05 kg/kg. content in export.	
		(6) Durlin Powder/Polyacetal Resin		1.05 kg/kg. content in export.	
		(7) Refill Ink OR		1.02 kg/kg. content in export.	
		(7) (a) Ketomic Resin/Synthetic Resin		0.40 kg/kg. of Ink content.	
		(b) Glycel.		0.40 kg/kg. of ink content.	
		(c) Dyestuff.		0.10 kg/kg. of Ink Content.	
822. Drill Pipes of outer Diameter 60mm to 160mm of size. 6" DD to 65" DD.	1000 mtrs.	1. Plain and seamless piepes.		1055 mtrs.	
		2. Tool Joint forgings/plain and hollow box tool joint blank.		121. pairs.	
		3. Coating material (optional)		Net to net.	
		*4. Tungston carbide (optional)	}	On net to net basis.	
		*5. Tube metal (optional)			
823. Casing pipes of DD 114 mm to 508mm of size 4½" DD to 20" DD	1000 mtrs.	1. Plain and seamless pipes.		1055 mtrs.	
		2. Plain end seamless coupling stock.		28 mtr s.	
		*3. Finished Thread Inserts.		On net to net basis.	
824. Production tubing of DD 60mm to 215 mm. of size 2" to 4½" DD.	1000 mtrs.	1. Plain and seamless pipes		1055 mtrs.	
		2. Plain and seamless coupling.		2 mtrs.	
		*3. Ceating material (optionall)		On net to basis.	
		*4. Finished thread inse.ts.			

Note.—In Sl. Nos. 822 to 824. Item No. 3, 4 and 5 required for the manufacture of drill pipes and item No. 3 required for the manufacture of production tubings these items would be permitted only if specified in the export product.



Sl. No.	Export Item		Import Item		Value Addition %	Remark
	Name	Quantity	Name	Quantity		
1	2	3	4	5	6	7
825.	CRGP/GC Sheets/Strips/Wide Coils of 0.15mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 118.948 Kgs	35	
826.	CRGP/GC Sheets/Strips/Wide Coils of 0.16mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 110.759 Kgs	35	
827.	CRGP/GC Sheets/Strips/Wide Coils of 0.17 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 103.626 Kgs	35	
828.	CRGP/GC Sheets/Strips/Wide Coils of 0.18mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 97.356 Kgs	35	
829.	CRGP/GC Sheets/Strips/Wide Coils of 0.19mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 91.801 Kgs	35	
830.	CRGP/GC Sheets/Strips/Wide Coils of 0.20mm thickness having Zinc Coating 120gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 86.846 Kgs	35	
831.	CRGP/GC Sheets/Strips/Wide Coils of 0.21mm thickness having Zinc Coating 120 gm per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 84.564 Kgs	35	
832.	CRGP/GC Sheets/Strips/Wide Coils of 0.22mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 82.398 Kgs	35	
833.	CRGP/GC Sheets/Strips/Wide Coils of 0.23 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 78.384 Kgs	35	
834.	CRGP/GC Sheets/Strips/Wide Coils of 0.24 mm thickness having Zinc Coating 120 gms sq. mtr. per	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 74.743 Kgs	35	
835.	CRGP/GC Sheets/Strips/Wide Coils of 0.25mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 71.425 Kgs	35	

1	2	3	4	5	6
836.	CRGP/GC Sheets/Strips/Wide Coils of 0.26 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 69.874 Kgs	35
837.	CRGP/GC Sheets/Strips/Wide Coils of 0.27mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 68.389 Kgs	35
838.	CRGP/GC Sheets/Strips/Wide Coils of 0.28mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips /Wide Coils. 2. Zinc	1.118 Mt 65.601 Kgs	35
839.	CRGP/GC Sheets/Strips/Wide Coils of 0.29 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 63.031 Kgs	35
840.	CRGP/GC Sheets/Strips/Wide Coils of 0.30mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips /Wide Coils. 2. Zinc	1.118 Mt 60.654 Kgs	35
841.	CRGP/GC Sheets/Strips/Wide Coils of 0.31mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 58.451 Kgs	35
842.	CRGP/GC Sheets/Strips/Wide Coils of 0.32 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 56.402 Kgs	35
843.	CRGP/GC Sheets/Strips/Wide Coils of 0.33 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 54.492 Kgs	35
844.	CRGP/GC Sheets/Strips/Wide Coils of 0.34 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 52.707 Kgs	35
845.	CRGP/GC Sheets/Strips/Wide Coils of 0.35 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 51.035 Kgs	35
846.	CRGP/GC Sheets/Strips/Wide Coils of 0.36 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 49.466 Kgs	35
847.	CRGP/GC Sheets/Strips/Wide Coils of 0.37 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 47.991 Kgs	35

1	2	3	4	5	6	7
848.	CRGP/GC Sheets/Strips/Wide Coils of 0.38 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 46.601 Kgs	35	
849.	CRGP/GC Sheets/Strips/Wide Coils of 0.39 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 45.289 Kgs	35	
850.	CRGP/GC Sheets/Strips/Wide Coils of 0.40 mm thickness having Zinc Coating 120 gms per sq. mt .	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 44.049 Kgs	35	
851.	CRGP/GC Sheets/Strips/Wide Coils of 0.41 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 42.875 Kgs	35	
852.	CRGP/GC Sheets/Strips/Wide Coils of 0.42mm thickness having Zinc Coating .120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 41.762 Kgs	35	
853.	CRGP/GC Sheets/Strips/Wide Coils of 0.43 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 40.706 Kgs	35	
854.	CRGP/GC Sheets/Strips/Wide Coils of 0.44mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt. 39.701 Kgs	35	
855.	CRGP/GC Sheets/Strips/Wide Coils of 0.45mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 38.745 Kgs	35	
856.	CRGP/GC Sheets/Strips/Wide Coils of 0.46 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 37.834 Kgs	35	
857.	CRGP/GC Sheets/Strips/Wide Coils of 0.47 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc	1.118 Mt 36.965 Kgs	35	

1	2	3	4	5	6	7
858.	CRGP/GC Sheets/Strips/Wide Coils of 0.48 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 36.135 Kgs	35	
859.	CRGP/GC Sheets/Strips/Wide Coils of 0.49 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 35.341 Kgs	35	
860.	CRGP/GC Sheets/Strips/Wide Coils of 0.50 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 34.581 Kgs	35	
861.	CRGP/GC Sheets/Strips/Wide Coils of 0.51 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 33.854 Kgs	35	
862.	CRGP/GC Sheets/Strips/Wide Coils of 0.52 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 33.156 Kgs	35	
863.	CRGP/GC Sheets/Strips/Wide Coils of 0.53 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 32.487 Kgs	35	
864.	CRGP/GC Sheets/Strips/Wide Coils of 0.54 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 31.844 Kgs	35	
865.	CRGP/GC Sheets/Strips/Wide Coils of 0.55 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 31.226 Kgs	35	
866.	CRGP/GC Sheets/Strips/Wide Coils of 0.56 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 30.631 Kgs	35	
867.	CRGP/GC Sheets/Strips/Wide Coils of 0.57 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 30.059 Kgs	35	

1	2	3	4	5	6	7
868.	CRGP/GC Sheets/Strips/Wide Coils of 0.58 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 29.508 Kgs	35	
869.	CRGP/GC Sheets/Strips/Wide Coils of 0.59 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 28.977 Kgs	35	
870.	CRGP/GC Sheets/Strips/Wide Coils of 0.60 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 28.464 Kgs	35	
871.	CRGP/GC Sheets/Strips/Wide Coils of 0.61mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 27.969 Kgs	35	
872.	CRGP/GC Sheets/Strips/Wide Coils of 0.62 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 27.491 Kg	35	
873.	CRGP/GC Sheets/Strips/Wide Coils of 0.63 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 27.029 Kgs	35	
874.	CRGP/GC Sheets/Strips/Wide Coils of 0.64 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 26.583 Kgs	35	
875.	CRGP/GC Sheets/Strips/Wide Coils of 0.65 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 26.151 Kgs	35	
876.	CRGP/GC Sheets/Strips/Wide Coils of 0.66mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 25.733 Kgs	35	
877.	CRGP/GC Sheets/Strips/Wide Coils of 0.67 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 25.327 Kgs	35	

1	2	3	4	5	6	7
878.	CRGP/GC Sheets/Strips/Wide Coils of 0.68 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 24.935 Kgs	35	
879.	CRGP/GC Sheets/Strips/Wide Coils of 0.69 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 24.554 Kgs	35	
880.	CRGP/GC Sheets/Strips/Wide Coils of 0.70 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 24.185 Kgs	35	
881.	CRGP/GC Sheets/Strips/Wide Coils of 0.71 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 23.827 Kgs	35	
882.	CRGP/GC Sheets/Strips/Wide Coils of 0.72 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 23.479 Kgs	35	
883.	CRGP/GC Sheets/Strips/Wide Coils of 0.73 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 23.142 Kgs	35	
884.	CRGP/GC Sheets/Strips/Wide Coils of 0.74 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 22.814 Kgs	35	
885.	CRGP/GC Sheets/Strips/Wide Coils of 0.75 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 22.495 Kgs	35	
886.	CRGP/GC Sheets/Strips/Wide Coils of 0.76 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 22.185 Kgs	35	
887.	CRGP/GC Sheets/Strips/Wide Coils of 0.77 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 21.883 Kgs	35	



1	2	3	4	5	6
888.	CRGP/GC Sheets/Strips/Wide Coils of 0.78 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	21.589 Kgs	
889.	CRGP/GC Sheets/Strips/Wide Coils of 0.79 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	21.303 Kgs	
890.	CRGP/GC Sheets/Strips/Wide Coils of 0.80 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	21.025 Kgs	
891.	CRGP/GC Sheets/Strips/Wide Coils of 0.81 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	20.888 Kgs	
892.	CRGP/GC Sheets/Strips/Wide Coils of 0.82 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	20.754 Kgs	
893.	CRGP/GC Sheets/Strips/Wide Coils of 0.83 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	20.621 Kgs	
894.	CRGP/GC Sheets/Strips/Wide Coils of 0.84 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	20.489 Kgs	
895.	CRGP/GC Sheets/Strips/Wide Coils of 0.85 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	20.360 Kgs	
896.	CRGP/GC Sheets/Strips/Wide Coils of 0.86 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	20.232 Kgs	
897.	CRGP/GC Sheets/Strips/Wide Coils of 0.87 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	20.105 Kgs	



1	2	3	4	5	6
898.	CRGP/GC Sheets/Strips/Wide Coils of 0.88 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1,118 Mt	35.
			2. Zinc.	19.981 Kgs	
899.	CRGP/GC Sheets/Strips/Wide Coils of 0.89 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1,118 Mt	35
			2. Zinc	19.857 Kgs	
900.	CRGP/GC Sheets/Strips/Wide Coils of 0.90 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1,118 Mt	35
			2. Zinc	19.735 Kgs	
901.	CRGP/GC Sheets/Strips/Wide Coils of 0.91 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1,118 Mt	35
			2. Zinc	19.496 Kgs	
902.	CRGP/GC Sheets/Strips/Wide Coils of 0.92 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1,118 Mt	35.
			2. Zinc	19.263 Kgs	
903.	CRGP/GC Sheets/Strips/Wide Coils of 0.93 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1,118 Mt	35
			2. Zinc	19.035 Kgs	
904.	CRGP/GC Sheets/Strips/Wide Coils of 0.94 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1,118 Mt	35
			2. Zinc	18.812 Kgs	
905.	CRGP/GC Sheets/Strips/Wide Coils of 0.95 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1,118 Mt	35
			2. Zinc	18.595 Kgs	
906.	CRGP/GC Sheets/Strips/Wide Coils of 0.96 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1,118 Mt	35
			2. Zinc	18.383 Kgs	
907.	CRGP/GC Sheets/Strips/Wide Coils of 0.97 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1,118 Mt	35
			2. Zinc	18.175 Kgs	

1.	2.	3.	4.	5.	6.
908.	CRGP/GC Sheets/Strips/Wide Coils of 0.98 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 17.972 Kgs	35
909.	CRGP/GC Sheets/Strips/Wide Coils of 0.99 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 17.773 Kgs	35
910.	CRGP/GC Sheets/Strips/Wide Coils of 1.00 mm thickness having Zinc Coating 120 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 17.579 Kgs	35
911.	CRGP/GC Sheets/Strips/Wide Coils of 0.15 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 168.891 Kgs	35
912.	CRGP/GC Sheets/Strips/Wide Coils of 0.16 mm thickness having Zinc Coating 180 mm per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 157.845 Kgs	35
913.	CRGP/GC Sheets/Strips/Wide Coils of 0.17 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 148.155 Kgs	35
914.	CRGP/GC Sheets/Strips/Wide Coils of 0.18 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 139.586 Kgs	35
915.	CRGP/GC Sheets/Strips/Wide Coils of 0.19 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 131.955 Kgs	35
916.	CRGP/GC Sheets/Strips/Wide Coils of 0.20 mm thickness having Zinc Coating 180 mm per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 125.113 Kgs	35
917.	CRGP/GC Sheets/Strips/Wide Coils of 0.21 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 121.953 Kgs	35

1	2	3	4	5	6
918.	CRGP/GC Sheets/Strips/Wide Coils of 0.22 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheet/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	118.948 Kgs	
919.	CRGP/GC Sheets/Strips/Wide Coils of 0.23 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	113.361 Kgs	
920.	CRGP/GC Sheets/Strips/Wide Coils of 0.24 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	108.275 Kgs	
921.	CRGP/GC Sheets/Strips/Wide Coils of 0.25 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	103.626 Kgs	
922.	CRGP/GC Sheets/Strips/Wide Coils of 0.26 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	101.448 Kgs	
923.	CRGP/GC Sheets/Strips/Wide Coils of 0.27 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	99.360 Kgs	
924.	CRGP/GC Sheets/Strips/Wide Coils of 0.28 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	95.431 Kgs	
925.	CRGP/GC Sheets/Strips/Wide Coils of 0.29 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	91.801 Kgs	
926.	CRGP/GC Sheets/Strips/Wide Coils of 0.30 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	88.437 Kgs	
927.	CRGP/GC Sheets/Strips/Wide Coils of 0.31 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	85.311 Kgs	

1	2	3	4	5	6
928.	CRGP/GC Sheets/Strips/Wide Coils of 0.32 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	82.398 Kgs	
929.	CRGP/GC Sheets/Strips/Wide Coils of 0.33mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	79.678 Kgs	
930.	CRGP/GC Sheets/Strips/Wide Coils of 0.34 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	77.132 Kgs	
931.	CRGP/GC Sheets/Strips/Wide Coils of 0.35 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	74.743 Kgs	
932.	CRGP/GC Sheets/Strips/Wide Coils of 0.36 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	72.498 Kgs	
933.	CRGP/GC Sheets/Strips/Wide Coils of 0.37 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Stript/Wide Coils.	1.118 Mt	35
			2. Zinc	70.384 Kgs	
934.	CRGP/GC Sheet/Strip/Wide Coils of 0.38 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	68.389 Kgs	
935.	CRGP/GC Sheets/Strips/Wide Coils of 0.39 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strip/Wide Coils.	1.118 Mt	35
			2. Zinc	66.505 Kgs	
936.	CRGP/GC Sheets/Strips/Wide Coils of 0.40 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	64.721 Kgs	
937.	CRGP/GC Sheets/Strips/Wide Coils of 0.41 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	63.031 Kgs	

	3	4	5	6
938. CRGP/GC Sheets/Strips/Wide Coils of 0.42 mm thickness having Zinc Coating 180 gms per sq. mts.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1.118 Mt	35
		2. Zinc	61.427 Kgs	
939. CRGP/GC Sheets/Strips/Wide Coils of 0.43 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 M	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1.118 M	35
		2. Zinc	59.902 Kgs	
940. CRGP/GC Sheets/Strips/Wide Coils of 0.44 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 M	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1.118 Mt	35
		2. Zinc	58.451 Kgs	
941. CRGP/GC Sheets/Strips/Wide Coils of 0.45 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1.118 Mt	35
		2. Zinc	57.069 Kgs	
942. CRGP/GC Sheets/Strips/Wide Coils of 0.46 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1.118 Mt	35
		2. Zinc	55.751 Kgs	
943. CRGP/GC Sheets/Strips/Wide Coils of 0.47 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1.118 Mt	35
		2. Zinc	54.492 Kgs	
944. CRGP/GC Sheets/Strips/Wide Coils of 0.48 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1.118 Mt	35
		2. Zinc	53.289 Kgs	
945. CRGP/GC Sheets/Strips/Wide Coils of 0.49 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1.118 Mt	35
		2. Zinc	52.138 Kgs	
946. CRGP/GC Sheets/Strips/Wide Coils of 0.50 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1.118 Mt	35
		2. Zinc	51.035 Kgs	
947. CRGP/GC Sheets/Strips/Wide Coils of 0.51 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/Strips/Wide Coils.	1.118 Mt	35
		2. Zinc	49.978 Kgs	

1	2	3	4	5	6
948.	CRGP/GC Sheets/Strips/Wide Coils of 0.52 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	49.964 Kgs	
949.	CRGP/GC Sheets/Strips/Wide Coils of 0.53mm thickness having Zinc Coating 180 gms per sq. mtr	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	47.991 Kgs	
950	CRGP/GC Sheets/Strips/Wide Coils of 0.54 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils	1.118 Mt	35
			2. Zinc	47.055 Kgs	
951	CRGP/GC Sheets/Strips/Wide Coils of 0.55 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	46.155 Kgs	
952.	CRGP/GC Sheets/Strips/Wide Coils of 0.56mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	45.289 Kgs	
953.	CRGP/GC Sheets/Strips/Wide Coils of 0.57 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	44.455 Kgs	
954.	CRGP/GC Sheets/Strips/Wide Coils of 0.58 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	43.651 Kgs	
955.	CRGP/GC Sheets/Strips/Wide Coils of 0.59mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	42.875 Kgs	
956.	CRGP/GC Sheets/Strips/Wide Coils of 0.60 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	42.127 Kgs	
957.	CRGP/GC Sheets/Strips/Wide Coils of 0.61mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	41.404 Kgs	



1	2	3	4	5	6
958.	CRGP/GC Sheets/Strips/Wide Coils of 0.62 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	40.706 Kgs	
959.	CRGP/GC Sheets/Strips/Wide Coils of 0.63 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	40.031 Kgs	
960.	CRGP/GC Sheets/Strips/Wide Coils of 0.64 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	39.378 Kgs	
961.	CRGP/GC Sheets/Strips/Wide Coils of 0.65 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	38.745 Kgs	
962.	CRGP/GC Sheets/Strips/Wide Coils of 0.66 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	38.133 Kgs	
963.	CRGP/GC Sheets/Strips/Wide Coils of 0.67 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	37.540 Kgs	
964.	CRGP/GC Sheets/Strips/Wide Coils of 0.68 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	36.965 Kgs	
965.	CRGP/GC Sheets/Strips/Wide Coils of 0.69 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	36.408 Kgs	
966.	CRGP/GC Sheets/Strips/Wide Coils of 0.70 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	35.866 kgs	
967.	CRGP/GC Sheets/Strips/Wide Coils of 0.71 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	35.341 Kgs	



1	2	3	4	5	6
968.	CRGP/GC Sheets/Strips/Wide Coils of 0.72 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 34.831 Kgs	35
969.	CRGP/GC Sheets/Strips/Wide Coils of 0.73 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 34.336 Kgs	35
970.	CRGP/GC Sheets/Strips/Wide Coils of 0.74 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 33.854 Kgs	35
971.	CRGP/GC Sheets/Strips/Wide Coils of 0.75 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 33.386 Kgs	35
972.	CRGP/GC Sheets/Strips/Wide Coils of 0.76 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 32.930 Kgs	35
973.	CRGP/GC Sheets/Strips/Wide Coils of 0.77 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 32.487 Kgs	35
974.	CRGP/GC Sheets/Strips/Wide Coils of 0.78 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 32.055 Kgs	35
975.	CRGP/GC Sheets/Strips/Wide Coils of 0.79 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 31.635 Kgs	35
976.	CRGP/GC Sheets/Strips/Wide Coils of 0.80 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 31.226 Kgs	35
977.	CRGP/GC Sheets/Strips/Wide Coils of 0.81 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 31.025 Kgs	35

1	2	3	4	5	6
978.	CRGP/GC Sheets/Strips/Wide Coils of 0.82 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	30.827 Kgs	
979.	CRGP/GC Sheets/Strips/Wide Coils of 0.83 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	30.631 Kgs	
980.	CRGP/GC Sheets/Strips/Wide Coils of 0.84 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	30.438 Kgs	
981.	CRGP/GC Sheets/Strips/Wide Coils of 0.85 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	30.248 Kgs	
982.	CRGP/GC Sheets/Strips/Wide Coils of 0.86 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	30.059 Kgs	
983.	CRGP/GC Sheets/Strips/Wide Coils of 0.87 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	29.879 Kgs	
984.	CRGP/GC Sheets/Strips/Wide Coils of 0.88 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	29.689 Kgs	
985.	CRGP/GC Sheets/Strips/Wide Coils of 0.89 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	29.508 Kgs	
986.	CRGP/GC Sheets/Strips/Wide Coils of 0.90 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	29.329 Kgs	
987.	CRGP/GC Sheets/Strips/Wide Coils of 0.91 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Mt	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35
			2. Zinc	28.977 Kgs	

1	2	3	4	5	6
988.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.92 mm thickness having Zinc Coating 180 gms per sq. mtr.	1 Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	28.633 Kgs		
989.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.93 mm thickness having Zinc Coating 180 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	28.297 Kgs		
990.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.94 mm thickness having Zinc Coating 180 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	27.969 Kgs		
991.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.95 mm thickness having Zinc Coating 180 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	27.649 Kgs		
992.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.96 mm thickness having Zinc Coating 180 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	27.336 Kgs		
993.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.97 mm thickness having Zinc Coating 180 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	27.029 Kgs		
994.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.98 mm thickness having Zinc Coating 180 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	26.730 Kgs		
995.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.99 mm thickness having Zinc Coating 180 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	26.437 Kgs		
996.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 1.00 mm thickness having Zinc Coating 180 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	26.151 Kgs		
997.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.15 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	237.905 Kgs		

1	2	3	4	5	6
998.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.16 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35.	
		2. Zinc	223.486 Kgs		
999.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.17 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	210.714 Kgs		
1000.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.18 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	199.323 Kgs		
1001.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.19 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	189.101 Kgs		
1002.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.20 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	179.875 Kgs		
1003.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.21 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	175.593 Kgs		
1004.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.22 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	171.509 Kgs		
1005.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.23 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	163.886 Kgs		
1006.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.24 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	156.912 Kgs		

1	2	3	4	5	6
1007.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.25 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	150.507 Kgs		
1008.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.25 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	147.497 Kgs		
1009.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.27 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	144.604 Kgs		
1010.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.28 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	139.147 Kgs		
1011.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.29 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	134.087 Kgs		
1012.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.30 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	129.381 Kgs		
1013.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.31 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	124.996 Kgs		
1014.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.32 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	120.989 Kgs		
1015.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.33 mm thickness having Zinc Coating 275 gms	1. Hot Rolled Steel Sheets Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	117.060 Kgs		
1016.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.34 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	113.458 Kgs		

1	3	5	6
1017. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.35 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.  2. Zinc	1.118 Mt  110.071 Kgs	35
1018. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.36 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.  2. Zinc	1.118 Mt  106.880 Kgs	35
1019. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.37 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.  2. Zinc	1.118 Mt  103.869 Kgs	35
1020. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.38 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.  2. Zinc	1.118 Mt  101.023 Kgs	35
1021. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.39 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.  2. Zinc	1.118 Mt  98.329 Kgs	35
1022. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.40 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.  2. Zinc	1.118 Mt  95.775 Kgs	35
1023. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.41 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.  2. Zinc	1.118 Mt  93.351 Kgs	35
1024. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.42 mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.  2. Zinc	1.118 Mt  91.046 Kgs	35
1025. CRGP/GC Sheets/Strips/Wide Coils of 0.43mm thickness having Zinc Coating 275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.  2. Zinc	1.118 Mt  88.852 Kgs	35

1	2	3	4	5	6
1026. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.44 mm thickness having Zinc Coating @275 gms per sq. mtr.		1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	86.761 Kgs		
1027. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.45 mm thickness having Zinc Coating @275 gms per sq. mtr.		1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	84.766 Kgs		
028. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.46 mm thickness having Zinc Coating @275 gms per sq. mtr.		1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	82.861 K		
1029. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.47 mm thickness having Zinc Coating @180 gms per sq. mtr.		1. Hot Rolled Steel Sheet/ Strips/Wide Coils.	1.118	35	
		2. Zinc	81.040 Kgs		
1030. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.48 mm thickness having Zinc Coating @275 gms per sq. mtr.		1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	79.297 Kgs		
1031. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.49 mm thickness having Zinc Coating @275 gms per sq. mtr.		1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	77.628 Kgs		
1032. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.50 mm thickness having Zinc Coating @275 gms per sq. mtr.		1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	76.027 Kgs		
1033. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.51 mm thickness having Zinc Coating @275 gms per sq. mtr.		1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	74.491 Kgs		
1034. CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.52 mm thickness having Zinc Coating @275 gms per sq. mtr.		1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	73.016 Kgs		



1	2	3	4	5	6
1035.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.53 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	71.598 Kgs		
1036.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.54 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	70.235 Kgs		
1037.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.55 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	68.922 Kgs		
1038.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.56 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	67.657 Kgs		
1039.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.57 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	66.438 Kgs		
1040.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.58 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	65.262 Kgs		
1041.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.59 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	64.127 Kgs		
1042.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.60 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	63.031 Kgs		
1043.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.61 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	61.972 Kgs		
1044.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.62 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	60.947 Kgs		

1	2	3	4	5	6
1045.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.63 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 59.956 Kgs	35	
1046.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.64 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets Strips/Wide Coils. 2. Zinc	1.118 Mt 58.997 Kgs	35	
1047.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.65 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 58.068 Kgs	35	
1048.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.66 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 57.167 Kgs	35	
1049.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.67 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 56.295 Kgs	35	
1050.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.68 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 55.448 Kgs	35	
1051.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.69 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 54.627 Kgs	35	
1052.	CRGP/GC Sheets/Strips/Wide 1 Mt. Coils of 0.70 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 53.829 Kgs	35	
1053.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.71 mm thickness having zinc coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 53.055 Kgs	35	
1054.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.72 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 52.302 Kgs	35	
1055.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.73 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 51.571 Kgs	35	
1056.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.74 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 50.859 Kgs	35	

1	2	3	4	5	6
1057.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.75 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 50.167 Kgs	35	
1058.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.76 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 49.494 Kgs	35	
1059.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.77 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 48.838 Kgs	35	
1060.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.78 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 48.200 Kgs	35	
1061.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.79 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 47.578 Kgs	35	
1062.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.80 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 46.972 Kgs	35	
1063.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.81 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 46.675 Kgs	35	
1064.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.82 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 46.381 Kgs	35	
1065.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.83 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 46.091 Kgs	35	
1066.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.84 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 45.805 Kgs	35	
1067.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.85 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils. 2. Zinc	1.118 Mt 45.522 Kgs	35	

1	2	3	4	5	6
1068.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.86 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1. 118 Mt	35	
		2. Zinc	45.243 Kgs		
1069.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.87 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1. 118 Mt	35	
		2. Zinc	44.967 Kgs		
1070.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.88 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1. 118 Mt	35	
		2. Zinc	44.694 Kgs		
1071.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.89 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1. 118 Mt	35	
		2. Zinc	44.425 Kgs		
1072.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.90 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1. 118 Mt	35	
		2. Zinc	44.159 Kgs		
1073.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.91 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1. 118 Mt	35	
		2. Zinc	43.636 Kgs		
1074.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.92 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheet/ Strips/Wide Coils.	1. 118 Mt	35	
		2. Zinc	43.126 Kgs		
1075.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.93 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1. 118 Mt	35	
		2. Zinc	42.628 Kgs		
1076.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.94 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1. 118 Mt	35	
		2. Zinc	42.140 Kgs		

1.	2	3	4	5	6
1077.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.95 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	41.664 Kgs		
1078.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.96 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	41.199 Kgs		
1079.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.97 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	40.743 Kgs		
1080.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.98 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	40.298 Kgs		
1081.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 0.99 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	39.862 Kgs		
1082.	CRGP/GC Sheets/Strips/Wide 1 Mt Coils of 1.00 mm thickness having Zinc Coating @275 gms per sq. mtr.	1. Hot Rolled Steel Sheets/ Strips/Wide Coils.	1.118 Mt	35	
		2. Zinc	39.436 Kgs		

Sl. No.	Export Item		Import Item		Value Addition
	Name	Quantity	Name	Quantity	
1	2	3	4	5	6
1083.	Cold Rolled, Gavanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.15 mm having Zinc coating of T80 gms per sq. mtr. @ 40 sq.mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 2. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 172.268 KGS 21.204 LTRS 42.409 Ltrs 33.927 Ltrs	35
1084.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.16 mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (b) Backer	1.130 MT 161.002 Kgs 19.879 Ltrs 39.758 Ltrs 31.807 Ltrs	35

1	2	3	4	5	6
1085.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/Wide Coils of Colour Coated Steel Sheets/CR thickness 0.17 mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints: (a) Primer (b) Top Coat (c) Backer	1.130 MT 151.118 Kgs 18.710 Ltrs 37.419 Ltrs 29.936 Ltrs	35
1086.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/Wide Coils of Colour Coated Steel Sheets/CR thickness 0.18 mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints: (a) Primer (b) Top Coat (c) Backer	1.130 MT 142.378 Kgs 17.670 Ltrs 35.341 Ltrs 28.272 Ltrs	35
1087.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/Wide Coils of Colour Coated Steel Sheets/CR thickness 0.19mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints: (a) Primer (b) Top Coat (c) Backer	1.130 MT 134.594 Kgs 16.740 Ltrs 33.481 Ltrs 26.784 Ltrs	35
1088.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/Wide Coils of Colour Coated Steel Sheets/CR thickness 0.20mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints: (a) Primer (b) Top Coat (c) Backer	1.130 Mt 127.615 Kgs 15.903 Ltrs 31.807 Ltrs 25.445 Ltrs	35
1089.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/Wide Coils of Colour Coated Steel Sheets/CR thickness 0.21mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints: (a) Primer (b) Top Coat (c) Backer	1.130 Mt 124.392 Kgs 15.146 Ltrs 30.292 Ltrs 24.234 Ltrs	35
1090.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/Wide Coils of Colour Coated Steel Sheets/CR thickness 0.22mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints: (a) Primer (b) Top Coat (c) Backer	1.130 Mt 121.327 Kgs 14.457 Ltrs 28.915 Ltrs 23.132 Ltrs	35



1	2	3	4	5	6	7
1091.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.23mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 Mt 115.628 Kgs 13.829 Ltrs 27.658 Ltrs 22.126 Ltrs	35	
1092.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.24mm having Zinc coating of 180 mtr. per sq. mtr. @ 40 sq. mtr. per ltr. primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 110.440 Kgs 13.253 Ltrs 26.505 Ltrs 21.204 Ltrs		
1093.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.25mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils s. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 Mt 105.699 Kgs 12.723 Ltrs 25.445 Ltrs 20.356 Ltrs		
1094.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.26mm having Zinc coating of 180 gms. per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3 Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 103.477 Kgs 12.233 Ltrs 24.467 Ltrs 19.573 Ltrs	35	
1095.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.27mm having Zinc coating of 180 gms per sq. Mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 Mt 101.347 Kgs 11.780 Ltrs 23.560 Ltrs 18.848 Ltrs		
1096.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.28mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 97.340 Kgs 11.359 Ltrs 22.719 Ltrs 18.175 Ltrs		



1	2	3	4	5	6
1097.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.29mm having Zinc coating of 180 gms. per sq. mtr. £40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 93.637 Kgs 10.968 Ltrs 21.936 Ltrs 17.548 Ltrs	35
1098.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets /CR thickness 0.30mm having Zinc coating of 180 gms. per sq. mtr. £40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 Mt 90.206 Kgs 10.602 Ltrs 21.204 Ltrs 16.963 Ltrs	35
1099.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.31mm having Zinc coating of 180 gms of per sq. mtr. £40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 87.017 Kgs 10.260 Ltrs 20.520 Ltrs 16.416 Ltrs	35
1100.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.32mm having Zinc coating of 180 gms per sq. mtr. £40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 84.046 Kgs 9.940 Ltrs 19.879 Ltrs 15.903 Ltrs	35
1101.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.33mm having Zinc coating of 180 gms per sq. mtr. £40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Prime (b) Top Coat (c) Backer	1.130 MT 81.272 Kgs 9.638 Ltrs 19.277 Ltrs 15.421 Ltrs	35
1102.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.34mm having Zinc coating of 180 gms per sq. mtr. £50 sq. mtr. per ltr. Primer, 20sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 78.674 Kgs 9.355 Ltrs 18.710 Ltrs 14.968 Ltrs	35

1	2	3	4	5	6	7
1103.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.35mm having zinc coating of 180 gms per sq. mtr. £40 sq. mtr. per Ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 mt 76.238 Kgs 9.088 Ltrs 1.175 Ltrs 14.540 Ltrs	} 35	
1104.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.36mm having Zinc coating of 180 gms per sq. mtr. £40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 73.948 Kgs 8.835 Ltrs 17.670 Ltrs 14.136 Ltrs		
1105.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.37mm having Zinc coating of 180 gms per sq. mtr. £40 sq. mtr. per ltr. Primer, 20 Sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Top Coat (b) Primer (c) Backer	1.130 MT 71.791 Kgs 17.193 Ltrs 8.596 Ltrs 13.754 Ltrs	} 35	
1106.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.38mm having Zinc coating of 180 gms per sq. mtr. £40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 69.757 Kgs 8.376 Ltrs 16.740 Ltrs 13.392		
1107.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.39mm having Zinc coating of 180 gms per sq. mtr. 840 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 67.835 Kgs 8.156 Ltrs 16.311 Ltrs 13.649 Ltrs	} 35	
1108.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.40mm having Zinc coating of 180 gms per sq. ltr. 840 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 66.016 Kgs 7.952 Ltrs 15.903 Ltrs 12.723 Ltrs		

1	2	3	4	5	7
1109.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.41mm having Zinc coating of 180 gms. per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 64.292 Kgs 7.758 Ltrs 15.515 Ltrs 12.412 Ltrs	35
1110.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.42 mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 62.655 Kgs 7.573 Ltrs 15.146 Ltrs 12.117 Ltrs	35
1111.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.43mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 61.100 Kgs 7.397 Ltrs 14.794 Ltrs 11.835 Ltrs	35
1112.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.44mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 59.620 Kgs 7.229 Ltrs 14.457 Ltrs 11.566 Ltrs	35
1113.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.45 mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 58.210 Kgs 7.068 Ltrs 14.136 Ltrs 11.309 Ltrs	35
1114.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.46 mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.30 MT 56.866 Kgs 6.914 Ltrs 13.829 Ltrs 11.063 Ltrs	35

1	2	3	4	5	6	7
1115.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.47mm having Zinc coating of 180 gms. per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT  55.582 Kgs 6.767 Ltrs 13.535 Ltrs 10.828 Ltrs		35
1116.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.48mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (b) Backer	1.130 MT  53.355 Kgs 6.626 Ltrs 13.253 Ltrs 10.602 Ltrs		35
1117.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thicknss 0.9mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per lt. Primer, 20 sq. mt. per ltr. as Top Coat 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT  53.180 Kgs 6.491 Ltrs 12.982 Ltr 10.386 Ltrs		35
1118.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.50mm having Zinc coating of 180 gms. per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ St ips/Wide Coils 2. Zinc 3. Paints (a) P ime (b) Top Coat (c) Backer £	1.130 MT  52.056 Kgs 6.361 Ltrs 12.723 Ltrs 10.178 Ltrs		35
1119.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils for Colour Coated Steel Sheets/CR thickness 0.51mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primei, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT  50.978 Kgs 6.237 Ltrs 12.473 Ltrs 9.979 Ltrs		35
1120.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.52mm having Zinc coating of 180 gms per sq. lmr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT  49.944 Kgs 6.117 Ltrs 12.233 Ltrs 9.787 Ltrs		35

1	2	3	4	5	6	7
1121.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.53mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Coat Top (c) Backer	1.130 MT 48.951 Kgs 6.001 Ltrs 12.002 Ltrs 9.602 Ltrs	}	35
1122.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.54mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 47.996 Kgs 5.890 Ltrs 11.780 Ltrs 9.424 Ltrs		
1123.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.55mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 47.078 Kgs 5.783 Ltrs 11.566 Ltrs 9.253 Ltrs		
1124.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.56mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 46.195 Kgs 5.680 Ltrs 11.359 Ltrs 9.088 Ltrs		
1125.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.57mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 45.344 Kgs 5.580 Ltrs 11.160 Ltrs 8.928 Ltrs	}	35
1126.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.58mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 44.524 Kgs 5.484 Ltrs 10.968 Ltrs 8.774 Ltrs		



1	2	3	4	5	6	7
1127.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.59mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheet, Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1. 130 MT 43.733 Kgs 5.391 Ltrs 10.782 Ltrs 8.625 Ltrs	}	35
1128.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.60mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1. 130 MT 42.970 Kgs 5.301 Ltrs 10.602 Ltrs 8.482 Ltrs		
1129.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.61mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1. 130 MT 42.232 Kgs 5.214 Ltrs 10.428 Ltrs 8.343 Ltrs		
1130.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.62mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1. 130 MT 41.520 Kgs 5.130 Ltrs 10.260 Ltrs 8.208 Ltrs	}	35
1131.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.63mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1. 130 MT 40.831 Kgs 5.047 Ltrs 10.097 Ltrs 8.078 Ltrs		
1132.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.64mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1. 130 MT 40.165 Kgs 4.970 Ltrs 9.940 Ltrs 7.952 Ltrs		

1	2	3	4	5	6	7
1133.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.65mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 39,520 Kgs 4,893 Ltrs 9,787 Ltrs 7,829 Ltrs	35	
1134.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.66mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 38,896 Kgs 4,819 Ltrs 9,638 Ltrs 7,711 Ltrs	35	
1135.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.67mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 38,291 Kgs 4,747 Ltrs 9,494 Ltrs 7,596 Ltrs	35	
1136.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.68mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 37,704 Kgs 4,677 Ltrs 9,355 Ltrs 7,484 Ltrs	35	
1137.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.69mm having Zinc Coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 37,136 Kgs 4,610 Ltrs 9,249 Ltrs 7,375 Ltrs	35	
1138.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.70 mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 36,584 Kgs 4,544 Ltrs 9,088 Ltrs 7,270 Ltrs	35	



1	2	3	4	5	6	7
1139.	Cold Rolled, Galvanised, Colour Coated/Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.71mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 36,048 Kgs 4,480 Ltrs 8,960 Ltrs 7,168 Ltrs	35	
1140.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.72mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. at Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 35,528 Kgs 4,418 Ltrs 8,835 Ltrs 7,068 Ltrs	35	
1141.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.73mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 35,022 Kgs 4,357 Ltrs 8,714 Ltrs 6,971 Ltrs	35	
1142.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.74mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 34,531 Kgs 4,298 Ltrs 8,596 Ltrs 6,877 Ltrs	35	
1143.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.75mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 34,053 Kgs 4,241 Ltrs 8,482 Ltrs 6,785 Ltrs	35	
1144.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.76mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 33,589 Kgs 4,185 Ltrs 8,370 Ltrs 6,696 Ltrs	35	

1	2	3	4	5	6	7
1145. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.77mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 33.137 Kgs 4.131 Ltrs 8.261 Ltrs 6.609 Ltrs		35	
1146. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel sheets/CR thickness 0.78mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 32.697 Kgs 4.078 Ltrs 8.156 Ltrs 6.524 Ltrs		34	
1147. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.79mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 32.268 Kgs 4.026 Ltrs 8.052 Ltrs 6.442 Ltrs		35	
1148. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.80mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 31.850 Kgs 3.976 Ltrs 7.952 Ltrs 6.361 Ltrs		35	
1149. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.81mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 31.646 Kgs 3.927 Ltrs 7.853 Ltrs 6.283 Ltrs		35	
1150. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.82mm having Zinc coating of 180 gms per sq. mtr. @ 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 31.444 Kgs 3.879 Ltrs 7.758 Ltrs 6.206 Ltrs		35	

1	2	3	4	5	6	7
1151.	Cold Rolled, Galvanised, Colour Coated sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.83mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 31.244 Kgs 3.809 Ltrs 7.618 Ltrs 6.095 Ltrs	}	35
1152.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.84mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 31.047 Kgs 3.786 Ltrs 7.573 Ltrs 6.058 Ltrs		
1153.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.85mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 30.853 Kgs 3.742 Ltrs 7.484 Ltrs 5.987 Ltrs	}	35
1154.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.86mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 M	heets/ strips/wide coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 30.660 Kgs 3.698 Ltrs 7.397 Ltrs 5.917 Ltrs		
1155.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.87mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 30.471 Kgs 3.656 Ltrs 7.312 Ltrs 5.849 Ltrs	}	35
1156.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.88mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 30.283 Kgs 3.614 Ltrs 7.229 Ltrs 5.783 Ltrs		

1	3	4	5	6	7
1157. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.89mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 30.098 Kgs 3.574 Ltrs 7.148 Ltrs 5.718 Ltrs	35	
1158. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.90 mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 29.915 Kgs 3.534 Ltrs 7.068 Ltrs 5.654 Ltrs	35	
1159. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.91mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 29.556 Kgs 3.495 Ltrs 6.990 Ltrs 5.592 Ltrs	35	
1160. Cold Rolled Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.92mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 29.205 Kgs 3.457 Ltrs 6.914 Ltrs 5.532 Ltrs	35	
1161. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.93mm having Zinc coating of 180 gms pe sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 28.863 Kgs 3.420 Ltrs 6.840 Ltrs 5.472 Ltrs	35	
1162. Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.94mm having Zinc coating of 180 gms per sq. mtr. @40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 28.528 Kgs 3.384 Ltrs 6.767 Ltrs 5.714 Ltrs	35	

1	2	3	4	5	6	7
1163.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.95mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 28.202 Kgs 3.348 Ltrs 6.696 Ltrs 5.357 Ltrs	35	
1164.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.96mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 27.882 Kgs 3.313 Ltrs 6.626 Ltrs 5.301 Ltrs	35	
1165.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.97mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 27.570 Kgs 3.279 Ltrs 6.558 Ltrs 5.246 Ltrs	35	
1166.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.98mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 27.265 Kgs 3.246 Ltrs 6.491 Ltrs 5.193 Ltrs	35	
1167.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 0.99mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 26.966 Kgs 3.213 Ltrs 6.426 Ltrs 5.140 Ltrs	35	
1168.	Cold Rolled, Galvanised, Colour Coated Sheets/Strips/ Wide Coils of Colour Coated Steel Sheets/CR thickness 1.00mm having Zinc coating of 180 gms per sq. mtr. 40 sq. mtr. per ltr. Primer, 20 sq. mtr. per ltr. as Top Coat, 25 sq. mtr. per ltr. as Backer.	1 MT	1. Hot Rolled Steel Sheets/ Strips/Wide Coils 2. Zinc 3. Paints (a) Primer (b) Top Coat (c) Backer	1.130 MT 26.674 Kgs 3.181 Ltrs 6.361 Ltrs 5.089 Ltrs	35	



## Annexure 'F' to Public Notice

No. 165 dt. 23-9-93

## LEATHER PRODUCTS

S. No.	Export Item		Import Item		Value Addition
	Name	Quantity	Name	Quantity	
1	2	3	4	5	6
53.	Leather Welt work shoes	1 pair	1 (a) Synthetic lining PVC/PU	0.12 sq. mtrs.	200%
			(b) Adhesives:		
			(i) PU based	.025 ltr.	
			(ii) Neoprene based	.025 ltr.	
			(c) Shoe Finishes (Polish)	5 gm.	
			(d) Shoe Finishes (Spray)	10 gms.	
			(e) Stamping Foil	6 sq. inch	
			(f) Sewing thread	70 mtrs.	
			(g) Thermo plastic	0.009 sq. mtrs.	
			(h) Sheets for Toe Caps/puffs		
			(h) Moulded Counter (Leatherboard)	1 pair	
			(i) Reinforcement (plyrib tape) width 25 mm	1 mtr.	
			(j) Sheet for making Insole	0.05 sq. mtrs.	
			(k) (i) Nails/tacks	15 gms.	
			OR		
			Shoe staples	12 Nos.	
			(l) Thermo plastic cement (rod/granule/polyester/polymide)	11 Gms.	
			(m) Unit sole with or without heel	1 pair	
			(n) Mid sole	1 pair	
			(o) Shoe lace	1 pair	
			(p) Labels/Logos	net to net	
			(q) Eyelets	net to net	
			(r) Metallic fittings Lacing hooks/D rings	net to net	
			(s) Plastic/leather/rubber welt in any colour	1.25 mtrs.	
			2 (a) Clicking boards	1 No./7500 pairs	

1	2	3	4	5	6
			(b) Binding guage	1 No./10000 pairs	
			(c) Industrial sewing machines needles/ hammer needle	40 pieces/1000 pairs 40 pieces/1000	
			(d) Bell/skiving knives	1 No./2250 pairs	
			(e) Bend knives for splitting machine	1 No./2250 pairs	
			(f) Grinding wheels	2 Nos./1000 pairs	
			(g) Feed Rollers	1 No./1000 pairs	
			(h) Set to cutting dies of various designs	1 No./1000 pairs	
			(i) Silver marking pencils/ pens/refills	1 No./1000 pairs	
			(j) Abtasive paper/emery paper/belts/cup shapes	1 Sq. mtl./150 pairs	
			(k) Brushes of all types	2 Pcs./1000 pairs	
			(l) Sea Sponge	2 Pcs./1000 pairs	
			(m) Plastic shoe last	4 pairs/1000 pairs	
			(n) Heating elements	1 No./1000 pairs	
			(o) Cutters and trimmers (all types) for footwear making	1 No./500 pairs	
1000 Sq.	3.	(a) Preservative		1.5 Kgs.	
feet of		(b) Bating agents		4.6 Kgs.	
Finished		(c) Sodium Bisulphite		2.5 Kgs.	
Leather		(d) Syntans		17 Kgs.	
		(e) Sodium Formate/ Acetate		4.6 Kgs.	
		(f) Formic Acid		9 Kgs.	
		(g) Wattle extract			
		1. For retanning		12 Kgs.	
		2. For vegetable tanning of leather		36 kgs.	
		(h) Fat Liquor		20 Kgs.	
		(i) Binder		4 Kgs.	
		1. Resin Base		6 Kgs.	
		2. Gasein Base		4 Kgs.	



1	2	3	4	5	6
		(j) Chrome tanning agent (Extract) for semi chrome	20 kgs.		
		OR			
		for chrome finish full	46 Kgs.		
		(k) Lacquer Emulsion	7 Kgs.		
		(l) Dyes	4 Kgs.		
		(m) Pigments	2 kgs.		
		(n) Borex	4.6 kgs.		
		(o) Impregnating Resin	5 kgs.		
		(p) Wax Emulsion	1 kgs.		
		(q) Oxalic acid	1 kg.		
		(r) Acetic acid	2.5 kgs.		
		(s) Sodium Thiosulphate	3.6 kgs.		
		(t) Penetrating agent 3	2 kgs.		
		(u) Slip Agent (Silicon Based Oil)	0.40 kg.		

Note: For requirement of chemicals (item No. 3) a norm of 2.5 sq. feet of finished leather per pair may be considered. Import of item at Sl. No. 2 would be upto 3% of FOB value of exports, import of item No. 1 would be upto 25% of the FOB value of export and that of item No. 3 would be upto 12% of FOB value of exports. Interchangeability of GIF values of items 1, 2 & 3 are not allowed.

Annexure 'G' to Public Notice  
No. 165 Dated 23-9-93

Sl. No.	Export Item		Import Item		Value Addition
	Name	Qty.	Name	Qty.	
1	2	3	4	5	6
PLASTICS					
159	Plastic Hollow corrugated board	1 Kg.	1. Polypropylene (co-polymer)	1.015 Kg.	
			2. Stabilizer	0.005 Kg.	
			3. Pigments	0.003 Kg.	
160	SOPP film Synthetic paper 30 micron to 175 micron.	1 Kg.	1. Polypropylene resin	1.20 Kg.	
161	Tooth Brush	1 Kg.	1. Polymer namely SAN/Cellulose acetate/granules	1.05 Kg. per Kg. content in export.	
			2. Nylon monofilament	1.10 Kg. per Kg. content in export.	
			3. Nickel Wire	1.01 Kg. per Kg. content in export.	

1	2	3	4	5	6
162	Rail Pads made out of EVA for concrete sleeper	1 Kg.	1. EVA Moulding powder	1.025 Kg.	
			2. Carbon Black	0.025 kg.	
163	Pen Parts (viz.) Metal Refills.	1000 Nos.	1. Brass tubes/Brass/Scrap or Copper Tube/copper scrap	1.05 Kg. per Kg. content in export.	
			2. Nickel Silver Wire/Brass Wire/S.S. Wire/scrap.	1.05 Kg per kg content in export.	
			3. Stainless Steel Balls/ Tungsten Carbide Ball/ Ceramic Ball	1020 Nos. per 1000 Refills.	
			4. Derilyn Plastic Powder	1.05 Kg. per kg. content in export.	
			5. Refill Ink OR	1.05 Kg. per Kg. content in export.	
			6. (i) Glycol	0.40 Kg. per kg. Ink Wt. in export	
			(ii) Ketonic Resin	0.45 -do-	
			(iii) Pigment	0.05 -do-	
			(iv) Dye Stuff for Ink	6.10 -do-	
164	PVC Footwear	1 MT	1. PVC Resin	0.5329 MT	
			2. Plasticizer (DOP)	0.3997 MT	
			3. Stabilizer B (Ba-Cd-Zn)	0.0159 MT	
			4. Antimony Trioxide	0.014 MT	
			5. Pigments	0.008 MT	
			6. Solvents (MEK/Xylene)	0.0015 MT	
MISC.					
33.	Fax Paper Rolls (Thermal paper)	1 Sq. mtr.	1. Jumbo Rolls of Thermal paper	1.05 Sq. mtrs.	
84	Corrugated Carton	1 Kg. (including weight of pasting gum & stitching wire)	1. Kraft paper of 125 GSM	0.88 kg.	